


## **LAMPIRAN-C**











B (	(mm)	250 x 250 150		300 x 300 216		350 x 350 294		400 x 400 384		450 x 450 486		500 x 500 600		600 x 600 864	
W (	(kg/m)														
n	(bh)	Mor	P	Mor	P	Mor	Р	Mor	P	Mcr	P	Mor	P	Mor	P
4	1	3,33	49,58	4,38	78,00	5,96	145,00	7,94	206,00	10,37	264,00	-	-	-	-
5	5	3,87	49,58	4,97	78,00	6,65	145,00	8,73	203,00	11,26	261,00	-	-	-	-
6	3	4,41	49,58	5,55	78,00	7,34	145,00	9,51	200,00	12,14	258,00	15,27	323,00	23,99	472,00
7	7	4,94	49,58	6,14	78,00	8,02	145,00	10,29	196,00	13,02	255,00	16,25	320,00	25,28	468,00
8	3	5,48	49,58	6,73	78,00	8,71	142,00	11,08	193,00	13,90	251,00	17,23	316,00	26,57	465,00
9	9		-	7,32	78,00	9,39	139,00	11,86	190,00	14,78	248,00	18,21	313,00	27,87	461,00
10	0		-	7,90	78,00	10,08	136,00	12,64	187,00	15,66	245,00	19,19	310,00	29,16	458,00
1	1	-	-	-	-	10,76	132,00	13,43	184,00	16,54	242,00	20,17	307,00	30,45	454,00
12	2	-		-	-	11,45	129,00	14,21	181,00	17,42	239,00	21,15	304,00	31,74	451,00
13	3		-	-	-	-	-	-	-	-	-	22,12	301,00	33,04	447,00
14	4	-	-	-	-	-		-	-	-	-	23,10	297,00	34,33	444,00

Note: B - Dimention (mm) W - Unit Weight (kg/m) n - Strand Ø0.5" (bh) Mcr - Cracking Bending Moment (t.m) P - Allowable Axial Load (t)

Concrete Strength = K500

