Manuscript Submission

Edi Purwanto <Edi.purwanto@upj.ac.id> Mon 15/05/2023 16:46 To:editor.jesa@iieta.org <editor.jesa@iieta.org>

1 attachments (233 KB) Article JESA.docx;

Dear Editor-in-Chief

We wish to submit a manuscript entitled "Traffic accident prevention through acceptance of advanced driver assistance system (ADAS) among urban people" for consideration by the Journal Européen des Systèmes Automatisés.

We confirm that this work is original and has not been published elsewhere nor is it currently under consideration for publication elsewhere.

It focuses on the **novel application of a theoretical model to the topic** System control, and hence I think it is appropriate for **Journal Européen des Systèmes Automatisés**.

Thank you for your consideration of this manuscript.

Sincerely, Edi Purwanto

Dr. Edi Purwanto, S.E., M.M., M.Mis., M.M.T., M.H.

Kepala Lembaga Penelitian dan Pengabdian kepada Masyarakat (LP2M)



Integrity, Professionalism and Entrepreneurship Jl. Cendrawasih, Kel sawah Baru, Kec Ciputat Tangerang Selatan 15413 Telephone : (021) 7455555 ext (454) website : p2m.upj.ac.id Scopus: https://www.scopus.com/authid/detail.uri?authorId=56530837400 GoogleScholar: https://scholar.google.co.id/citations?user=kwzDoVUAAAAJ&hl=en SINTA: http://sinta.ristekbrin.go.id/authors/detail?id=257818&view=overview



[JESA] Revisions Required (Edi Purwanto)

editor.jesa iieta.org <editor.jesa@iieta.org> Mon 12/06/2023 18:25

To:Edi Purwanto <Edi.purwanto@upj.ac.id>

2 attachments (175 KB)
 JESA Template.docx; comments_JESA Edi Purwanto.docx;

Dear author,

Thanks for contributing your paper to Journal Européen des Systèmes Automatisés!

Please check the attached files and follow the requirements:

- 1. Revise your paper "Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People", according to attached Review Comments. Please highlight any change you make.
- 2. Response to reviewers is also required, make a response to Review Comments in a second Word file following the first Word file of the revised paper.
- **3**. Typeset your paper **according to the attached JESA Template**.
- 4. Attach DOI to references as demonstrated in the template. Click <u>http://www.crossref.org/guestquery/</u> for a DOI query. And the DOI's format should be website address.

To ensure fast publication of your paper, please return your revised manuscript and the answers to all requirements to this e-mail **before June 17th 00:00am, 2023**. Thus, we have enough time to process your manuscript in the next step.

If the revisions required are too many, you can make half of the revisions according to the comments. For further assistance, please do not hesitate to contact us via this e-mail.

Looking forward to your reply.

Best regards,

Ms. Joy Wei | Assistant Editor Editorial Board Journal Européen des Systèmes Automatisés <u>https://www.iieta.org/Journals/JESA</u> published by International Information and Engineering Technology Association (IIETA) <u>http://www.iieta.org/</u>



Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People

Major revision

Abstract

 The abstract should provide information on the number of participants in the study, as well as the specific research method used for data collection (e.g., survey, interviews, etc.). For example, it should say something like: "A survey was conducted with a sample of 220 automotive users in Jakarta and Tangerang."

Response: We have added this in highlighted sentence.

2. The abstract could benefit from a clearer description of the concepts and constructs within the C-PMT-UTAUT model. It would be helpful to briefly mention the main components of the Protection Motivation Theory (PMT) and the Unified Theory of Acceptance and Use of Technology (UTAUT) and how they were combined in the study.

Response:

We have added this in a sentence that we highlighted with the sentence, "Protection motivation and acceptance of technology are generally a concern for drivers adopting ADAS."

3. The results section in the abstract is somewhat vague. It would be helpful to provide more specific information about the relationships between the study variables, such as effect sizes, significance levels, or the proportion of variance explained in the dependent variables. Response:

We have put a strikethrough on the previous result explanation as a sign for deletion. Then we rewrote the abstract's explanation of the research results according to the reviewer's comments. You can see them in the highlighted sentences.

4. Consider providing some information about the practical implications of the study, such as what the findings could mean for policymakers, car manufacturers, or technology developers working on ADAS. Response:

We have added the practical implications to the abstract.

INTRODUCTION and LITERATURE REVIEW

1. Clarity and organization: The introduction section could benefit from better organization and clarity. Consider dividing the section into paragraphs, each covering one main idea. Begin with a brief overview of the problem (traffic accidents) and its significance, followed by a discussion of ADAS technology and its potential to address this issue. Next, present the research objectives and the urgency/importance of the study. This will provide a more coherent and structured introduction for readers. Response:

We had an overview of the problem (traffic accidents) and its significance. However, we need to add a discussion of ADAS technology and its potential to address this issue as the reviewer's direction. Please look at the highlighted second paragraph. The highlighted third paragraph is the problem statement to be based on objectives and the urgency/importance of the study

2. Expand on the research gap: In the literature review, it would be helpful to further emphasize the research gap that this study aims to address. Clearly state how this study differs from previous research on PMT and UTAUT, particularly in the context of ADAS acceptance. Explain why the combination of C-PMT-UTAUT has not been explored before, and how this study will contribute to addressing this gap in the literature. Response:

We have added these explanations and research gaps to the highlighted fourth and fifth paragraphs.

3. ADAS technology explanation: The paper provides a comprehensive list of ADAS features, but it would be helpful to briefly explain the overall purpose and benefits of ADAS technology before diving into the specific features. This will provide readers with a better understanding of the technology and its potential impact on traffic accidents.

Response:

We add to briefly explain the overall purpose and benefits of ADAS technology. Please loot at the red highlight paragraph.

RESEARCH METHODOLOGY

1. Sample size and sampling strategy: The section on population and sample should mention the sample size and provide a rationale for the chosen sample size. Further, while the sampling technique is stated as convenience or non-probability, it would be helpful to provide more information on how the sample will be recruited and any potential biases that may arise due to this sampling method.

We have added it in sentence highlights.

2. Data analysis method: In the data analysis method section, consider providing more information on the PLS-SEM analysis technique, specifically why this method is appropriate for your study. Additionally, briefly explain the tests for outer model evaluation measurements (reliability and validity) and

Response:

structural models or inner model evaluations (statistical T-tests or hypothesis tests). Response: We have added it in sentence highlights.

RESULT AND DISCUSSION

 The discussions on the inner model results and hypothesis testing require further elaboration. Explain why H2 was not supported and the implications. Discuss both significant and non-significant effects. Compare your results with previous studies to identify consistencies and differences. Response:

We have added "Explaining why H2 was not supported and the implications" in highlights paragraphs.

2. Compare and contrast your results with previous studies to identify similarities and differences. Discuss reasons for differences and how your study builds upon and contributes to existing literature. This strengthens your work theoretically and conceptually.

Response:

We have added "Compare and contrast results with previous studies" in highlights paragraphs.

CONCLUSION

 The conclusions drawn should be more evaluated citing specific evidence from your results and analyses to strengthen them. For example, statements like "perceived vulnerability variable is proven to have a positive and significant effect" require quantified path coefficients and P values as evidence.

Response:

We added it in highlight words.

2. Discuss both the theoretical and practical implications in more depth. For theoretical implications, explain how your findings complement, build upon or differ from previous studies. For practical implications, specify how automakers and policymakers can apply your results. Discuss implementation strategies and areas for further research.

Response:

We added the theoretical and practical implications in highlight paragraph. We also added "implementation strategies and areas for further research" in highlight paragraph.

3. The limitations of your study should be acknowledged, including issues with methodology, sample size, scale used etc. Discuss how future studies can improve on these limitations and the generalizability of your findings. This establishes the scope of your conclusions.

Response:

We added "The limitations of study" in highlight paragraph.

4. Future research directions should be discussed in more depth. For example, propose studies investigating additional factors that may influence ADAS acceptance, moderating effects of variables like age and education, and studies in other country contexts. Discuss why these future works are important.

Response:

We added "Future research directions" in highlight paragraph.



Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People

Edi Purwanto^{1*}, Dede Suleman¹, Rachman Sjarief¹, Dewi Sri², Muhammad Daffa Juliansyah², Muhammad Iqbal Revilliano Trisandri²

¹ Department of Management and Jaya Launch Pad, Universitas Pembangunan Jaya, South Tangerang, Indonesia ² Department of Management, Universitas Pembangunan Jaya, South Tangerang, Indonesia

Corresponding Author Email:edi.purwanto@upj.ac.id

Received: Accepted: Lead Indonesia's accident cases are caused mainly by human error, which can be reduced by implementing an Advanced Driver Assistance System (ADAS)	https://doi.org/10.18280/jesa.xxxxx	ABSTRACT
Keywords: ADAS, Technology acceptance, attitude, UTAUT, PMT UTAUT, PMT ADAS, Technology acceptance, attitude, UTAUT, PMT ADAS, Technology (C-PMT-UTAUT) to determine the factors that encourage drivers and owner-drivers' interest in using the ADAS. This research method applies quantitative research to a population of automotive users in Jakarta and Tangerang. Determination of the sample using the convenience sampling method and the samples collected and used were 220 samples. The data is then processed using Smart-PLS. The research results prove that perceived vulnerability affect. the positive attitude of automotive users to use ADAS, likewise, with the performance expectancy and effort expectancy variables. Furthermore, the study's results also prove that attitude significantly affects the intention of automotive users to add ADAS features to their vehicles.	Received: Accepted: <i>Keywords:</i> ADAS, Technology acceptance, attitude, UTAUT, PMT	Lead Indonesia's accident cases are caused mainly by human error, which can be reduced by implementing an Advanced Driver Assistance System (ADAS) technology. Therefore, this research aims to build a model of the Combined Protection Motivation Theory and Unified Theory of Acceptance and Use of Technology (C-PMT-UTAUT) to determine the factors that encourage drivers and owner-drivers' interest in using the ADAS. This research method applies quantitative research to a population of automotive users in Jakarta and Tangerang. Determination of the sample using the convenience sampling method and the samples collected and used were 220 samples. The data is then processed using Smart-PLS. The research results prove that perceived vulnerability affects the positive attitude of automotive users to use ADAS, likewise, with the performance expectancy and effort expectancy variables. Furthermore, the study's results also prove that attitude significantly affects the intention of automotive users to add ADAS features to their vehicles.

1. INTRODUCTION

A release from the National Police regarding the level of traffic accident cases at the end of 2020 shows that the province of DKI Jakarta is ranked fifth with a total of 73 incidents. Compared to DKI Jakarta, Central Java is in first place with 336 cases. East Java is in second place with 332 cases, West Java is in third place with 180 cases, and DI Yogyakarta is in fourth place with 91 cases [1]. Kominfo reports that, on average, three people die every hour due to traffic accidents. According to this news, 61 percent of the causes of traffic accidents are due to the human factor related to the ability and character of the driver, 30 percent due to infrastructure and environmental factors, and only 9 percent due to the vehicle's worthiness factor [2]. So based on this information, 61 percent of traffic accidents are caused by the ability and behavior of the driver. Interestingly, the province of DKI Jakarta does not occupy the first position for the number of traffic accident cases, but instead, it is in the fifth position. The large number of new car users in Jakarta who have used the Advanced Driver Assistance System (ADAS) technology is likely why the rate of accident cases is below Central Java, East Java, West Java, and DI Yogyakarta. The problem is that very few cars are equipped with ADAS, for example, Wuling Almaz, Daihatsu Rocky, Toyota New Raize, and the latest Honda BRV.

The specific objectives of this research are: (1) to create a C-PMT-UTAUT conceptual model and test it, (2) to produce market research that constitutes Basic Research that will

become the basis for applied research and development research which is helpful for automotive companies to complement their new products with ADAS, and start-up companies to create Mobile-ADAS technology for cars that are not yet equipped with ADAS.

The urgency of this research is because the facts and data have confirmed that the highest cause of traffic accidents is caused by the human factor (Ahdira, 2020), so the development of ADAS is expected to be able to reduce the rate of traffic accidents due to these human errors. For this reason, it is necessary to research the community's intention to use ADAS and the factors that influence it.

2. LITERATURE REVIEW

The Advanced Driver Assistance System (ADAS) is a set of technology systems that can be used to develop vehicle products that help drivers use their cars safely and automatically. The ADAS concept began to be realized in the 1980s when the European Union initiated DRIVE (Dedicated Road Infrastructure for Vehicle Safety in Europe), a project to reduce the risk of traffic accidents on the road and improve the cognitive abilities of drivers [3]. As a result, the number of cars using ADAS continues to increase, and automation with the ADAS system continues to grow over time [3].

The ADAS system currently embedded in several car products in Indonesia includes: (1) Adaptive Cruise Control (ACC), an automatic system that adjusts speed according to

the speed of the car in front of it. (2) Bend Cruise Assistance (BCA), an automatic system that helps reduce speed when the vehicle enters a bend. (3) Traffic Jam Assistance (TJA), an automatic system capable of assisting a safe distance from the vehicle in front of it when there is a traffic jam. (4) Intelligent Cruise Assistance (ICA) and Lane Departure Warning (LDW), which automatically give a warning when the vehicle leaves the safe lane. (5) Lane Keeping Assistance (LKA) automatically corrects the steering direction to return to a safe lane. (6) Safe Distance Warning (SDW) automatically warns that the vehicle in front is too close, and several other ADAS systems. (7) Forward Collision Warning (FCW) is a system that detects potential collisions on the front by giving a warning in the form of a sound or visual display. The brakes will automatically adjust to the level of danger that will occur. (8) Automatic Emergency Braking (AEB), a system that works when the driver does not respond to a collision hazard warning, in which case this system will automatically apply emergency braking. (9) Intelligent Hydraulic Braking Assistance (IHBA), a system that will adjust automatic braking according to the risk of danger. (10) Collision Mitigation System (CMS), a system that will reduce the vehicle's speed to minimize the severity of injury or damage to the car due to a collision. (11) Intelligent Head Beam Assistance (IHMA), a system that will automatically adjust the height of the leading light to adjust the lighting conditions in the surrounding environment [4].

This research examines the factors that influence people's intention to use ADAS as a complement to driving safety. Using the Protection motivation theory (PMT) and the Unified Theory of Acceptance and Use of Technology (UTAUT), apart from finding the driving factors of these intentions, a C-PMT-UTAUT model will also be built.

Protection motivation theory (PMT) was previously mainly applied in the field of health sciences. Rogers (1975) initially put forward this theory to explain changes in individual attitudes and behavior related to health. This theory explains psychological fear and individual responses to health threats. Psychological fear raises the motivation to find protection from threats. This protective motive will affect the individual's actual behavior [3]. Even though initially PMT was a theory used to research protective motivation related to health problems, then Jun et al. [3] wrote a treatise recommending the use of PMT to test people's intentions to use the advanced driver assistance system (ADAS) to protect themselves from the threat of traffic accidents.

As far as searching the literature on reputable international journal databases, previous research related to PMT has not found the use of this theory to test motivation to protect oneself from traffic accidents by utilizing an advanced driver assistance system (ADAS). For example, even though Jun et al. [3] wrote a literature review on the acceptance of ADAS using PMT, empirical field research has yet to be carried out. Other researchers who have used PMT include Gao et al. [6] in the context of healthcare acceptance in China. Likewise, Ibrahim and Al-Ajlouni [7] tested PMT in the context of green products in Saudi Arabia, Sabzmakan et al. [8] in the context of health hazards from tobacco in Iran, Menard et al. [9] in the context of information security protection in the United States, Kothe et al. [10] in the context of protecting environmental sustainability, Lee et al. [11] in the context of ethnic restaurants in South Korea, and Fischer-Preßler et al. [12] in the context of the adoption of mobile emergency warning apps in Germany.

The UTAUT model was developed by Venkatesh et al. in 2003 [13] and the UTAUT2 model was also developed by Venkatesh et al. in 2012 [14]. Many researchers use the UTAUT model to examine factors that influence the intention to use various innovative technologies in various countries, for example, testing the UTAUT model in the context of acceptance of computer-assisted audit techniques and tools (CAATTs) [15], online tax filling [16], e-learning by Lwoga and Komba [17], Arif et al. [18], Thongsri et al. [19], Gunasinghe et al. [20], Buabeng-Andoh and Baah [21], mobile library by Chang [22], Wu and Wu [23], e-government service [24], m-health service [25], acceptance of digital payment platforms by Tarhini et al. [26], Kuciapski [27], Sivathanu [28], Sobti [29], Gupta et al. [30], Rahi et al. [31], Giovanis et al. [32], Odoom and Kosiba [33] and other fields. Then, our previous research tested Combined UTAUT-IRT intending to use a digital fishery platform [34], [35]. As far as searching the database of reputable journal publishers has not found research on the intention to accept ADAS, either using the UTAUT model or the PMT-UTAUT combination.



Figure 1. Conceptual Framework

Compared to the results of previous studies, this research has its characteristics because the context studied has never been investigated or researched in previous studies. Previous research in various countries has tested the Protection Motivation Theory (PMT) in the context of tobacco acceptance and protecting information security, but what has yet to be done is in the context of ADAS acceptance. Even though Jun et al. (2019) wrote about the PMT-UTAUT2 hypotheses regarding the acceptance of ADAS, this publication is only in the form of a literature treatise, not the results of field research. Previous research in various countries has tested UTAUT in the context of acceptance of e-computerassisted audit techniques and tools (CAATTs), online tax filing, e-learning, mobile libraries, e-government services, mhealth services, and digital payments. , but what has not been done is in the context of ADAS acceptance. Therefore, it's not just testing related to ADAS acceptance that has never been tested using PMT and UTAUT or other theories; more specifically, the novelty of this research will test the combination of C-PMT-UTAUT.

Then the hypotheses of this research are:

H1. The perceived vulnerability will influence attitude to ADAS

H2. The perceived severity will influence attitude toward ADAS.

H3. The performance expectancy will influence attitude toward ADAS.

H4. The effort expectancy will influence attitude toward ADAS.

H5. The attitude will influence Behaviour Intention to use ADAS

3. RESEARCH METHODOLOGY

The research method, which includes research stages, research locations, observed/measured variables, models used, research design, as well as data collection and analysis techniques, can be described as explained below:

3.1. Research process

Figure 2 is the research process.



Figure 2. Research process

3.2. Research location

The research locations are Jakarta and Tangerang. The basis for choosing Jakarta as the research location was because Jakarta is a city where four-wheeled traffic flows from supporting cities. Tangerang was selected as the following research location because automotive users in Tangerang City, South Tangerang City, and Tangerang Regency are buffer cities contributing significantly to traffic jams in DKI Jakarta.

3.3. Population and sample

The population is all car owners who drive their cars (owner drivers) in Jakarta, Tangerang City, South Tangerang

City, and Tangerang Regency. Samples will be taken from the population.

3.4. Data collection technique

Because the exact number of owner drivers is unknown, the sampling technique used is convenience or nonprobability.

3.5. Measurement instrument

The measurement instrument for the severity variable adopts four items developed by Johnston and Warkentin [36] [36] in Jun et al. [3]. Likewise, the measurement instrument for the vulnerability variable also adopts the four items developed by Johnston and Warkentin [36] in Jun et al. [3]. Meanwhile, the research instrument for the variable Performance expectancy, Effort expectancy, was adapted from a questionnaire developed by Venkatesh [13].

3.6. Data analysis method

This study will use the PLS-SEM analysis technique with the help of SmartPLS version 3.0 software. SEM-PLS data analysis will include outer model evaluation measurements to test reliability and validity and structural models or inner model evaluations to statistical T-tests or hypothesis tests [37]. Finally, the test results will be analyzed in depth to find the research results.

4. RESULT AND DISCUSSION

The research results, which are the results of statistical processing of the data collected from the field, are presented in two presentations of the test results, namely the results of the outer model test and the results of the inner model test from the Structural Equation Model - Partial Least Square (SEM-PLS) analysis.

4.1. Outer model evaluation

The results of the outer model test show that all items or indicators of each research variable have outer loadings or factor loadings > 0.70 (comp. [38]), as shown in Table 1. All indicators of each research variable are proven valid or meet indicator reliability.

Perceived Vulnerability	
VN1	0.803
VN2	0.845
VN3	0.866
Perceived Severity	
SV1	0.756
SV2	0.852
SV3	0.724
Performance Expectancy	
PE1	0.906

Table 1. Factor Loading

PE2	0.917
PE3	0.931
PE4	0.899
Effort Expectancy	
EE1	0.833
EE2	0.898
EE3	0.891
EE4	0.884
Attitude	
ATT1	0.932
ATT2	0.948
ATT3	0.936
ATT4	0.939
ATT5	0.923
Behaviour Intention	
BI1	0.922
BI2	0.921
BI3	0.930

The results of the outer model test also prove that each variable is valid, as evidenced by all Average Variance Extracted (AVE) values for each variable > 0.50 (comp. [39]), as shown in Table 2. In addition to each variable being proven valid, each variable in this study is also proven to be reliable, as demonstrated by the results of Composite Reliability values and Cronbach's Alpha values > 0.70 (comp. [40]), as shown in Table 2.

Table 2.	Construct	Reliability	and V	alidity
		1		_

	Cronbach's	Composite	Average
	Alpha	Reliability	Variance
			Extracted
			(AVE)
Attitude	0.964	0.972	0.875
Behaviour	0.915	0.947	0.855
Intention			
Effort	0.900	0.930	0.769
Expectancy			
Perceived	0.700	0.822	0.607
Severity			
Perceived	0.791	0.876	0.703
Vulnerability			
Performance	0.934	0.953	0.834
Expectancy			

The results of the Fornell-Larcker Criterion test show that the value of each variable is greater than the correlation value with other variables, as shown in Table 3. So each variable is proven valid or fulfills discriminant validity.

Table 3. Discriminant Validity - Fornell-Larcker Criterion

	AT	BI	EE	PE	PU	PE
AT	0.936					
BI	0.770	0.925				
EE	0.628	0.615	0.877			
PE	0.444	0.392	0.292	0.779		

PV	0.175	0.172	0.227	0.304	0.838	
PE	0.820	0.701	0.635	0.535	0.289	0.913

AT: Attitude; BI: Behaviour Intention; EE: Effort Expectancy; PE: Perceived Severity; PV: Perceived Vulnerability; PE: Performance Expectancy

4.2. Inner model evaluation

The results of the inner model test prove that only one hypothesis is not proven, namely H2, because perceived severity does not affect the positive attitude of automatic users towards the Advanced Driver Assistance System (ADAS). After all, the T-Statistic value is 0.867 < 1.96, and the P-value is 0.386 > 0.05 (see Table 4). Therefore, apart from H2, all hypotheses are proven.

Table 4. P	ath Coe	fficients
------------	---------	-----------

Hipo	otesis	Original Sample (O)	T Statistics (O/STDEV)	P Values
H1	Perceived	-0.083	2.190	0.029
	Vulnerability			
	-> Attitude			
H2	Perceived	0.037	0.867	0.386
	Severity ->			
	Attitude			
H3	Performance	0.704	12.243	0.000
	Expectancy -			
	> Attitude			
H4	Effort	0.189	3.523	0.000
	Expectancy -			
	> Attitude			
H5	Attitude ->	0.770	19.726	0.000
	Behaviour			
	Intention			

Table 4 shows that the T-statistic value of H1 is 2.190 >1.96, and the P-value is 0.029 <0.05, so it can be stated that perceived vulnerability has a positive and significant effect on the positive attitude of automotive users towards ADAS. Furthermore, the effect of performance expectancy on the positive attitude of automotive users towards ADAS is also proven to be positive and significant, as indicated by the Tstatistic value of 12.243 > 1.96 and the P-value of 0.000 < 0.05, and thus H3 is confirmed. Furthermore, the effect of effort expectancy on the positive attitude of automotive users towards ADAS has also proven positive and significant, as evidenced by the T-statistic value of 3.523 > 1.96 and the Pvalue of 0.000 < 0.05, so H4 is also confirmed. Furthermore, the effect of attitudes on the intention of automotive users to use ADAS also proved positive and significant, as indicated by the T-statistic value of 19,726 > 1.96 and the P-value of 0.000 <0.05. Thus, H5 was confirmed.

rader of operation maneet Energy	Tabel 5.	Specific	Indirect	Effects
----------------------------------	----------	----------	----------	---------

	Original Sample (O)	T Statistics (O/STDEV)	P Values
Effort Expectancy -> Attitude -> Behaviour Intention	0.146	3.399	0.001
Perceived Severity -> Attitude -> Behaviour Intention	0.029	0.868	0.385

Perceived	-0.064	2.208	0.027
Vulnerability ->			
Attitude -> Behaviour			
Intention			
Performance	0.542	9.547	0.000
Expectancy ->			
Attitude -> Behaviour			
Intention			

Table 5 shows that attitude is proven to mediate the effect of effort expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 3.399 > 1.96 and a P-value of 0.001 < 0.05. Likewise, attitude is proven to mediate the effect of perceived vulnerability on the intention of automotive users to use ADAS, as indicated by the T-statistic value of 2.208 > 1.96 and P-value of 0.027 < 0.05. Then, attitude is also proven to mediate the effect of performance expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 9.547 > 1.96 and P-value of 0.000 < 0.05.

The results of this study indicate that the higher the vulnerability or vulnerability to the risk of traffic accidents, the more positive the attitude of car users towards the use of the ADAS driver assistance system. As we understand it, ADAS is a technology designed to help drivers reduce the risk of traffic accidents through warning and action when a potentially hazardous situation is detected. Self-perceived vulnerability is a concept that has been studied extensively in health psychology and health-related human behavior. This concept refers to a person's awareness of their health risks and ability to avoid or reduce them. In the context of a traffic accident, a person with a high perceived vulnerability is more aware of the potential risks of an accident and more open to using ADAS technology that can help reduce that risk. This study found that the vulnerability factor had a positive and significant effect on the attitude of drivers toward ADAS. This shows that the higher the perceived vulnerability, the more positive drivers' attitudes toward using ADAS technology to reduce the risk of traffic accidents.

The second discussion of this study found that the performance expectations of the Advanced Driving Assistance System (ADAS) technology could have been more optimal to affect the positive attitude of drivers toward driver assistance systems. In this context, performance expectation refers to the user's belief in the ability of ADAS technology to improve vehicle performance and driving safety.

The higher the performance expectations of users in this study, the more positive the attitude of drivers toward driver assistance systems. This can be explained by the user's belief that ADAS technology can increase vehicle efficiency and improve driving safety. In this case, car users who have more confidence in the ability of ADAS technology to improve vehicle efficiency and driving safety tend to be more optimistic about this technology. This study also shows that drivers' education level and age influence performance expectations and attitudes toward the ADAS system. Younger and more educated drivers tend to have higher performance expectations and positive attitudes toward the ADAS system.

The third discussion in this study shows that the user's effort expectancy for the ease of use of ADAS technology affects the positive attitude of automotive users towards ADAS. In this context, effort expectancy refers to the user's belief about the ease of use of ADAS technology and the user's readiness to deal with changes in driving behavior. In this study, the higher the user's perceived level of effort

expectancy, the more positive the attitude of automotive users toward ADAS. This can be explained by the user's belief that ADAS technology is easy to use and does not require the user to make significant changes in driving behavior. In this case, automotive users who feel more comfortable with ADAS technology and believe it is easy to use tend to have a more positive attitude.

The results showed that effort expectancy or user expectations for the ease of use of ADAS technology affect the attitude of automotive users towards ADAS. In this case, the attitude in question is an attitude that includes the user's trust, assessment, and evaluation of ADAS technology. This research shows that the higher the level of effort expectancy felt by the user, the more positive the attitude of automotive users toward ADAS. This can be explained by users' belief that ADAS technology is easy to use and does not require significant changes in driving behavior.

In this context, effort expectancy mediates between other factors, such as performance expectancy and user attitude towards ADAS. In other words, the higher the user's perceived level of effort expectancy, the stronger the relationship between performance expectancy and the user's attitude toward ADAS.

The fifth discussion in this study is that the positive attitude of automotive users towards ADAS has a positive and significant effect on their intention to use the technology. This means that the more positive the user's attitude towards ADAS, the more likely they are to use the technology in driving.

The results of this study, taken as a whole, may have important implications for automakers and policymakers in designing more effective marketing campaigns and product development strategies. In this regard, manufacturers must consider factors such as performance expectations and demographics when designing more effective marketing campaigns and product development strategies. On the other hand, policymakers can use the results of this research to increase public awareness of the benefits of ADAS technology and encourage the use of this technology as part of efforts to improve driving safety

5. CONCLUSIONS

Based on the research results, it can be concluded that, except for Hypothesis 2, all hypotheses are proven. The perceived vulnerability variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS. Likewise, the performance expectancy variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS. The effort expectancy variable has also been shown to have a positive and significant effect on the attitude of automotive users toward ADAS. Finally, the attitude of automotive users towards ADAS has a positive and significant effect on their intention to use ADAS. So only the variable perceived Severity is not proven to have a positive and significant effect on the attitude of automotive users towards ADAS.

The theoretical benefit of this research is the creation of a C-PMT-UTAUT conceptual model, which future researchers can then test. In addition, the results of this market research can also serve as a basis for future Applied Research and Development Research.

The results of this study can also be a consideration for automotive companies in Indonesia to add ADAS to their new products. In addition, the results of this study can also be a consideration for start-up companies to add portable ADAS, which can be added to cars that do not yet have ADAS features.

ACKNOWLEDGMENT

This paper is the output of research results funded by winning Higher Education Excellence Basic Research from the Center for Research and Community Service, Pembangunan Jaya University, with Research Contract Number: 005/PER-P2M/UPJ/11.22.

REFERENCES

- [1] A. Ahdira, "5 Provinsi dengan Jumlah Kecelakaan Terbanyak di Indonesia, Korban Jiwa Capai 295 Orang," *Pikiran Rakyat*, 2020.
- [2] KOMINFO, "Rata-rata Tiga Orang Meninggal Setiap Jam Akibat Kecelakaan Jalan," *Kominfo.go.id*, 2017. https://kominfo.go.id/index.php/content/detail/10368/ rata-rata-tiga-orang-meninggal-setiap-jam-akibatkecelakaan-jalan/0/artikel_gpr.
- [3] J. Jun, H. Park, and I. Cho, "Study on initial adoption of advanced driver assistance system: integrated model of PMT and UTAUT 2," *Total Qual. Manag. Bus. Excell.*, vol. 30, no. sup1, pp. S83–S97, 2019, doi: 10.1080/14783363.2019.1665820.
- [4] Wuling, "Teknologi Advanced Driver Assistance System (ADAS) untuk Keamanan Berkendara," *Auto Tips*, 2021. https://wuling.id/id/blog/autotips/teknologiadvanced-driver-assistance-system-adas-untukkeamanan-berkendara/.
- [5] R. W. Rogers, "A protection motivation theory of fear appeals and attitude change.," *J. Psychol.*, vol. 91, no. 1, pp. 93–114, 1975.
- [6] Y. Gao, H. Li, and Y. Luo, "An empirical study of wearable technology acceptance in healthcare," *Ind. Manag. Data Syst.*, vol. 115, no. 9, pp. 1704–1723, 2015, doi: 10.1108/IMDS-03-2015-0087.
- H. Ibrahim and M. M. Q. Al-Ajlouni, "Sustainable consumption: Insights from the protection motivation (PMT), deontic justice (DJT) and construal level (CLT) theories," *Manag. Decis.*, vol. 56, no. 3, pp. 610–633, 2018, doi: 10.1108/MD-05-2016-0323.
- [8] L. Sabzmakan, M. Ghasemi, M. Asghari Jafarabadi, T. Kamalikhah, and M. Chaleshgar Kordasiabi, "Factors Associated with Tobacco Use among Iranian Adolescents: An Application of Protection Motivation Theory," *Subst. Use Misuse*, vol. 53, no. 9, pp. 1511–1518, 2018, doi: 10.1080/10826084.2017.1415356.
- [9] P. Menard, G. J. Bott, and R. E. Crossler, "User Motivations in Protecting Information Security: Protection Motivation Theory Versus Self-Determination Theory," J. Manag. Inf. Syst., vol. 34, 4. pp. 1203-1230, 2017. no. doi: 10.1080/07421222.2017.1394083.
- [10] E. J. Kothe, M. Ling, M. North, A. Klas, B. A. Mullan, and L. Novoradovskaya, "Protection motivation theory and pro-environmental behaviour: A

systematic mapping review," *Aust. J. Psychol.*, vol. 71, no. 4, pp. 411–432, 2019, doi: 10.1111/ajpy.12271.

- [11] J. H. Lee, A. Mustapha, and J. Hwang, "Enhancing ethnic restaurant visits and reducing risk perception: The effect of information and protection motivation," *J. Hosp. Tour. Insights*, vol. 2, no. 4, pp. 341–357, 2019, doi: 10.1108/JHTI-10-2018-0068.
- [12] D. Fischer-Preßler, D. Bonaretti, and K. Fischbach, "A Protection-Motivation Perspective to Explain Intention to Use and Continue to Use Mobile Warning Systems," *Bus. Inf. Syst. Eng.*, 2021, doi: 10.1007/s12599-021-00704-0.
- [13] V. Venkatesh, M. Morris, G. Davis, and F. Davis, "User acceptance of information technology: towards a unified view," *MIS Q.*, vol. 27, no. 3, pp. 425–477, 2003.
- [14] V. Venkatesh, J. Thong, and X. Xu, "Consumer acceptance and use of information technology: extending the unified theory of acceptance and use of technology," *MIS Q.*, vol. 36, no. 1, pp. 157–178, 2012.
- [15] N. Mahzan and A. Lymer, "Examining the adoption of computer-assisted audit tools and techniques: Cases of generalized audit software use by internal auditors," *Manag. Audit. J.*, vol. 29, no. 4, pp. 327–349, 2014, doi: 10.1108/MAJ-05-2013-0877.
- [16] L. Carter, C. L. Shaupp, J. Hobbs, and R. Campbell, "The role of security and trust in the adoption of online tax filing The role of security and trust in the adoption of online tax filing," *Transform. Gov. People, Process Policy*, vol. 5, no. 3, pp. 303–318, 2011, [Online]. Available:

http://dx.doi.org/10.1108/17506161111173568.

- [17] E. T. Lwoga and M. Komba, "Antecedents of continued usage intentions of web-based learning management system in Tanzania," *Educ.* + *Train.*, vol. 57, no. 7, pp. 738–756, 2015.
- [18] M. Arif, K. Ameen, and M. Rafiq, "Factors affecting student use of Web-based services: Application of UTAUT in the Pakistani context," *Electron. Libr.*, vol. 36, no. 3, pp. 518–534, 2018, doi: 10.1108/EL-06-2016-0129.
- [19] N. Thongsri, L. Shen, Y. Bao, and I. M. Alharbi, "Integrating UTAUT and UGT to explain behavioural intention to use M-learning: A developing country's perspective," J. Syst. Inf. Technol., vol. 20, no. 3, pp. 278–297, 2018, doi: 10.1108/JSIT-11-2017-0107.
- [20] A. Gunasinghe, J. A. Hamid, A. Khatibi, and S. M. F. Azam, "The adequacy of UTAUT-3 in interpreting academician's adoption to e-Learning in higher education environments," *Interact. Technol. Smart Educ.*, vol. 17, no. 1, pp. 86–106, 2019, doi: 10.1108/ITSE-05-2019-0020.
- [21] C. Buabeng-Andoh and C. Baah, "Pre-service teachers' intention to use learning management system: an integration of UTAUT and TAM," *Interact. Technol. Smart Educ.*, vol. 17, no. 4, pp. 455– 474, 2020, doi: 10.1108/ITSE-02-2020-0028.
- [22] C. C. Chang, "Library mobile applications in university libraries," *Libr. Hi Tech*, vol. 31, no. 3, pp. 478–492, 2013, doi: 10.1108/LHT-03-2013-0024.
- [23] C. G. Wu and P. Y. Wu, "Investigating user continuance intention toward library self-service

technology: The case of self-issue and return systems in the public context," *Libr. Hi Tech*, vol. 37, no. 3, pp. 401–417, 2019, doi: 10.1108/LHT-02-2018-0025.

- [24] K. A. Al Mansoori, J. Sarabdeen, and A. L. Tchantchane, "Investigating Emirati citizens' adoption of e-government services in Abu Dhabi using modified UTAUT model Article information," *Inf. Technol. People*, vol. 31, no. 2, pp. 455–481, 2018, doi: https://doi.org/10.1108/ITP-12-2016-0290.
- [25] M. Z. Alam, W. Hu, M. R. Hoque, and M. A. Kaium, "Adoption intention and usage behavior of mHealth services in Bangladesh and China: A cross-country analysis," *Int. J. Pharm. Healthc. Mark.*, vol. 14, no. 1, pp. 37–60, 2019, doi: 10.1108/IJPHM-03-2019-0023.
- [26] A. Tarhini, M. El-Masri, M. Ali, and A. Serrano, "Extending the utaut model to understand the customers' acceptance and use of internet banking in lebanon a structural equation modeling approach," *Inf. Technol. People*, vol. 29, no. 4, pp. 830–849, 2016, doi: 10.1108/ITP-02-2014-0034.
- [27] M. Kuciapski, "A model of mobile technologies acceptance for knowledge transfer by employees," J. *Knowl. Manag.*, vol. 21, no. 5, pp. 1053–1076, 2017, doi: 10.1108/JKM-03-2016-0136.
- [28] B. Sivathanu, "Adoption of digital payment systems in the era of demonetization in India: An empirical study," J. Sci. Technol. Policy Manag., vol. 10, no. 1, pp. 143–171, 2019, doi: 10.1108/JSTPM-07-2017-0033.
- [29] N. Sobti, "Impact of demonetization on diffusion of mobile payment service in India: Antecedents of behavioral intention and adoption using extended UTAUT model," *J. Adv. Manag. Res.*, vol. 16, no. 4, pp. 472–497, 2019, doi: 10.1108/JAMR-09-2018-0086.
- [30] K. P. Gupta, R. Manrai, and U. Goel, "Factors influencing adoption of payments banks by Indian customers: extending UTAUT with perceived credibility," *J. Asia Bus. Stud.*, vol. 13, no. 2, pp. 173– 195, 2019, doi: 10.1108/JABS-07-2017-0111.
- [31] S. Rahi, M. M. Othman Mansour, M. Alghizzawi, and F. M. Alnaser, "Integration of UTAUT model in internet banking adoption context: The mediating role of performance expectancy and effort expectancy," J.

Res. Interact. Mark., vol. 13, no. 3, pp. 411–435, 2019, doi: 10.1108/JRIM-02-2018-0032.

- [32] A. Giovanis, C. Assimakopoulos, and C. Sarmaniotis, "Adoption of mobile self-service retail banking technologies: The role of technology, social, channel and personal factors," *Int. J. Retail Distrib. Manag.*, vol. 47, no. 9, pp. 894–914, 2019, doi: 10.1108/IJRDM-05-2018-0089.
- [33] R. Odoom and J. P. Kosiba, "Mobile money usage and continuance intention among micro enterprises in an emerging market – the mediating role of agent credibility," *J. Syst. Inf. Technol.*, vol. 22, no. 4, pp. 97–117, 2020, doi: 10.1108/JSIT-03-2019-0062.
- [34] E. Purwanto, R. Sjarief, and C. Anwar, "The Effect of the Innovation Resistance Factors on the Digital Fishery Platform Acceptance in Developing Country," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 5, pp. 507– 518, 2021, doi: 10.48047/rigeo.11/5/53.
- [35] E. Purwanto, R. Sjarief, and C. Anwar, "Driving And Restricting Factors Of The Behavior Intention Of The Digital Fishery Platform Adoption In New Normal: Combine Utaut-Irt Model," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 8, pp. 1089–1103, 2021, doi: 10.48047/rigeo.11.08.93.
- [36] A. C. Johnston and M. Warkentin, "Fear appeals and information security behaviors: An empirical study," *MIS Q.*, vol. 34, no. 3, pp. 549–566, 2010.
- [37] J. F. Hair, C. M. Ringle, and M. Sarstedt, "PLS-SEM: Indeed a silver bullet," *J. Mark. Theory Pract.*, vol. 19, no. 2, pp. 139–151, 2011.
- [38] M. Tjiu and E. Purwanto, "Guanxi and the leadermember exchange in the chinese supervisor and subordinate relationship," J. Appl. Econ. Sci., vol. 12, no. 8, 2017.
- [39] E. Purwanto and A. D. B. Purwanto, "An investigative study on sustainable competitive advantage of manufacture companies in Indonesia," *Bus. Theory Pract.*, vol. 21, no. 2, 2020, doi: 10.3846/btp.2020.12256.
- [40] E. Purwanto, C. Utama, and B. Wijaya, "The effects of shock advertising on purchase intentions and behavior of cigarettes in collectivistic culture," J. Adv. Res. Law Econ., vol. 9, no. 2, pp. 625–638, 2018.



Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People

Edi Purwanto^{1*}, Dede Suleman¹, Rachman Sjarief¹, Dewi Sri², Muhammad Daffa Juliansyah², Muhammad Iqbal Revilliano Trisandri²

¹ Department of Management and Jaya Launch Pad, Universitas Pembangunan Jaya, South Tangerang, Indonesia ² Department of Management, Universitas Pembangunan Jaya, South Tangerang, Indonesia

Corresponding Author Email:edi.purwanto@upj.ac.id

https://doi.org/10.182	280/jesa.xxxx	ABSTRACT
Received: Accepted:		Lead Indonesia's accident cases are caused mainly by human error, which can be reduced by implementing an Advanced Driver Assistance System (ADAS)
Accepted: <i>Keywords:</i> ADAS, Technology UTAUT, PMT	acceptance, at	be reduced by implementing an Advanced Driver Assistance System (ADAS) technology. Protection motivation and acceptance of technology are generally a concern for drivers adopting ADAS. Therefore, this research aims to build a model of the Combined Protection Motivation Theory and Unified Theory of Acceptance and Use of Technology (C-PMT-UTAUT) to determine the factors that encourage drivers and owner-drivers' interest in using the ADAS. This research method applies quantitative research to a population of automotive users in Jakarta and Tangerang. A survey was conducted with a sample of 220 automotive users in Jakarta and Tangerang. Determination of the sample using the convenience sampling method and the samples collected and used were 220 samples. The data is then processed using Smart-PLS. The research results prove that perceived vulnerability affects the positive attitude of automotive users to use ADAS, likewise, with the performance expectancy and effort expectancy variables. Furthermore, the study's results also prove that attitude significantly affects the intention of automotive users to add ADAS features to their vehicles The research results prove that the perceived vulnerability is proven to positively and significantly affect attitudes to ADAS. Likewise, the effect of performance expectancy on attitude toward ADAS is proven to be positive and significant. The effort expectancy also positively and significantly affects the attitude toward ADAS. One factor that has yet to be proven to influence attitudes toward ADAS significantly. Then, the attitude positively and significantly affects the intention to use ADAS. The findings of this study have important practical implications for policymakers, car manufacturers, and technology developers working on ADAS. Policymakers can enhance perceived vulnerability, improve performance expectancy, and simplify the user experience. Technology developers can emphasize usability and address concerns about severity.

1. INTRODUCTION

A release from the National Police regarding the level of traffic accident cases at the end of 2020 shows that the province of DKI Jakarta is ranked fifth with a total of 73 incidents. Compared to DKI Jakarta, Central Java is in first place with 336 cases. East Java is in second place with 332 cases, West Java is in third place with 180 cases, and DI Yogyakarta is in fourth place with 91 cases [1]. Kominfo reports that, on average, three people die every hour due to traffic accidents. According to this news, 61 percent of the causes of traffic accidents are due to the human factor related to the ability and character of the driver, 30 percent due to infrastructure and environmental factors, and only 9 percent

due to the vehicle's worthiness factor [2]. So based on this information, 61 percent of traffic accidents are caused by the ability and behavior of the driver. Interestingly, the province of DKI Jakarta does not occupy the first position for the number of traffic accident cases, but instead, it is in the fifth position. The large number of new car users in Jakarta who have used the Advanced Driver Assistance System (ADAS) technology is likely why the rate of accident cases is below Central Java, East Java, West Java, and DI Yogyakarta.

Advanced Driver Assistance Systems (ADAS) technology plays a crucial role in addressing the challenges of road accidents in urban areas [3]. With the rapid growth of population and vehicles in big cities, the risk of accidents and traffic congestion has become a pressing concern [4]. ADAS offers a range of features such as collision warning, lane departure warning, automatic emergency braking, and adaptive cruise control, which can significantly assist drivers in navigating busy city streets and avoiding potential collisions. Using sensor-based technologies, ADAS enhances driver awareness, provides real-time feedback, and enables proactive safety measures. This technology is essential in mitigating human errors, which are often the primary cause of accidents in urban environments. Integrating ADAS into vehicles and promoting its adoption can significantly reduce the number of accidents, improve road safety, and create a safer driving environment for both motorists and pedestrians in large cities [5].

The problem in Indonesia, especially Jakarta and Tangerang cities, is that very few cars are equipped with ADAS, for example, Wuling Almaz, Daihatsu Rocky, Toyota New Raize, and the latest Honda BRV.

Several previous studies tested PMT for the context of acceptance of green products [6], health [7], information security protection [8], protecting environmental sustainability [9], ethnic restaurants [10], mobile emergency warning apps [11], but it is still challenging to find PMT testing to test ADAS acceptance. Therefore, Jun et al. [6] wrote a systematic literature review of PMT and suggested testing this model in the context of ADAS acceptance. Severity and vulnerability are considered essential factors in preventing road accidents. Therefore this study includes the PMT factors to test attitudes and intentions to use ADAS.

The UTAUT model is a model commonly used to test technology acceptance. Because ADAS is a form of innovation or technology, the UTAUT factors are essential for testing ADAS acceptance. However, comparing previous studies on testing ADAS acceptance using the UTAUT model is still challenging. Most of the technology adoption tested with UTAUT was primarily, for example, acceptance of M-banking [12], e-learning [13], m-health service [14], and other fields. However, the model's UTAUT factors are essential for testing ADAS acceptability; therefore, this study includes UTAUT factors. Because the PMT and UTAUT factors are crucial factors that can influence users to adopt ADAS, this research combines the PMT and UTAUT models to become Combined PMT-UTAUT.

ADAS refers to a collection of features and technologies designed to assist drivers in enhancing safety, reducing accidents, and improving the overall driving experience. ADAS aims to augment the driver's abilities and mitigate potential risks by providing real-time information, alerts, and automated assistance. ADAS enhances driver awareness by utilizing sensors and cameras to monitor the surroundings, detecting potential hazards, and alerting the driver accordingly. It includes features such as forward collision warning, lane departure warning, and blind-spot detection, which help prevent accidents caused by human errors or inattention. ADAS also improves driver responsiveness through features like adaptive cruise control, which automatically adjusts the vehicle's speed to maintain a safe distance from the vehicle ahead. It reduces the likelihood of rear-end collisions and enhances traffic flow efficiency.

Furthermore, ADAS assists in mitigating the severity of accidents through features like automatic emergency braking and pedestrian detection. Overall, ADAS technology significantly reduces traffic accidents, injuries, and fatalities by providing drivers with advanced warning systems, assistance in critical situations, and increased situational awareness.

The specific objectives of this research are: (1) to create a C-PMT-UTAUT conceptual model and test it, (2) to produce market research that constitutes Basic Research that will become the basis for applied research and development research which is helpful for automotive companies to complement their new products with ADAS, and start-up companies to create Mobile-ADAS technology for cars that are not yet equipped with ADAS.

The urgency of this research is because the facts and data have confirmed that the highest cause of traffic accidents is caused by the human factor (Ahdira, 2020), so the development of ADAS is expected to be able to reduce the rate of traffic accidents due to these human errors. For this reason, it is necessary to research the community's intention to use ADAS and the factors that influence it.

2. LITERATURE REVIEW

The Advanced Driver Assistance System (ADAS) is a set of technology systems that can be used to develop vehicle products that help drivers use their cars safely and automatically. The ADAS concept began to be realized in the 1980s when the European Union initiated DRIVE (Dedicated Road Infrastructure for Vehicle Safety in Europe), a project to reduce the risk of traffic accidents on the road and improve the cognitive abilities of drivers [15]. As a result, the number of cars using ADAS continues to increase, and automation with the ADAS system continues to grow over time [15].

The ADAS system currently embedded in several car products in Indonesia includes: (1) Adaptive Cruise Control (ACC), an automatic system that adjusts speed according to the speed of the car in front of it. (2) Bend Cruise Assistance (BCA), an automatic system that helps reduce speed when the vehicle enters a bend. (3) Traffic Jam Assistance (TJA), an automatic system capable of assisting a safe distance from the vehicle in front of it when there is a traffic jam. (4) Intelligent Cruise Assistance (ICA) and Lane Departure Warning (LDW), which automatically give a warning when the vehicle leaves the safe lane. (5) Lane Keeping Assistance (LKA) automatically corrects the steering direction to return to a safe lane. (6) Safe Distance Warning (SDW) automatically warns that the vehicle in front is too close, and several other ADAS systems. (7) Forward Collision Warning (FCW) is a system that detects potential collisions on the front by giving a warning in the form of a sound or visual display. The brakes will automatically adjust to the level of danger that will occur. (8) Automatic Emergency Braking (AEB), a system that works when the driver does not respond to a collision hazard warning, in which case this system will automatically apply emergency braking. (9) Intelligent Hydraulic Braking Assistance (IHBA), a system that will adjust automatic braking according to the risk of danger. (10) Collision Mitigation System (CMS), a system that will reduce the vehicle's speed to minimize the severity of injury or damage to the car due to a collision. (11) Intelligent Head Beam Assistance (IHMA), a system that will automatically adjust the height of the leading light to adjust the lighting conditions in the surrounding environment [16].

This research examines the factors that influence people's intention to use ADAS as a complement to driving safety. Using the Protection motivation theory (PMT) and the Unified

Theory of Acceptance and Use of Technology (UTAUT), apart from finding the driving factors of these intentions, a C-PMT-UTAUT model will also be built.

Protection motivation theory (PMT) was previously mainly applied in the field of health sciences. Rogers (1975) initially put forward this theory to explain changes in individual attitudes and behavior related to health. This theory explains psychological fear and individual responses to health threats. Psychological fear raises the motivation to find protection from threats. This protective motive will affect the individual's actual behavior [15]. Even though initially PMT was a theory used to research protective motivation related to health problems, then Jun et al. [15] wrote a treatise recommending the use of PMT to test people's intentions to use the advanced driver assistance system (ADAS) to protect themselves from the threat of traffic accidents.

As far as searching the literature on reputable international journal databases, previous research related to PMT has not found the use of this theory to test motivation to protect oneself from traffic accidents by utilizing an advanced driver assistance system (ADAS). For example, even though Jun et al. [15] wrote a literature review on the acceptance of ADAS using PMT, empirical field research has yet to be carried out. Other researchers who have used PMT include Gao et al. [18] in the context of healthcare acceptance in China. Likewise, Ibrahim and Al-Ajlouni [6] tested PMT in the context of green products in Saudi Arabia, Sabzmakan et al. [7] in the context of health hazards from tobacco in Iran, Menard et al. [8] in the context of information security protection in the United States, Kothe et al. [9] in the context of protecting environmental sustainability, Lee et al. [10] in the context of ethnic restaurants in South Korea, and Fischer-Preßler et al. [11] in the context of the adoption of mobile emergency warning apps in Germany.

The UTAUT model was developed by Venkatesh et al. in 2003 [19] and the UTAUT2 model was also developed by Venkatesh et al. in 2012 [20]. Many researchers use the UTAUT model to examine factors that influence the intention to use various innovative technologies in various countries, for example, testing the UTAUT model in the context of acceptance of computer-assisted audit techniques and tools (CAATTs) [21], online tax filling [22], e-learning by Lwoga and Komba [13], Arif et al. [23], Thongsri et al. [24], Gunasinghe et al. [25], Buabeng-Andoh and Baah [26], mobile library by Chang [27], Wu and Wu [28], e-government service [29], m-health service [14], acceptance of digital payment platforms by Tarhini et al. [12], Kuciapski [30], Sivathanu [31], Sobti [32], Gupta et al. [33], Rahi et al. [34], Giovanis et al. [35], Odoom and Kosiba [36] and other fields. Then, our previous research tested Combined UTAUT-IRT intending to use a digital fishery platform [37], [38]. As far as searching the database of reputable journal publishers has not found research on the intention to accept ADAS, either using the UTAUT model or the PMT-UTAUT combination.



Figure 1. Conceptual Framework

Compared to the results of previous studies, this research has its characteristics because the context studied has never been investigated or researched in previous studies. Previous research in various countries has tested the Protection Motivation Theory (PMT) in the context of tobacco acceptance and protecting information security, but what has yet to be done is in the context of ADAS acceptance. Even though Jun et al. (2019) wrote about the PMT-UTAUT2 hypotheses regarding the acceptance of ADAS, this publication is only in the form of a literature treatise, not the results of field research. Previous research in various countries has tested UTAUT in the context of acceptance of e-computerassisted audit techniques and tools (CAATTs), online tax filing, e-learning, mobile libraries, e-government services, mhealth services, and digital payments. , but what has not been done is in the context of ADAS acceptance. Therefore, it's not just testing related to ADAS acceptance that has never been tested using PMT and UTAUT or other theories; more specifically, the novelty of this research will test the combination of C-PMT-UTAUT.

Then the hypotheses of this research are:

H1. The perceived vulnerability will influence attitude to ADAS

H2. The perceived severity will influence attitude toward ADAS.

H3. The performance expectancy will influence attitude toward ADAS.

H4. The effort expectancy will influence attitude toward ADAS.

H5. The attitude will influence Behaviour Intention to use ADAS

3. RESEARCH METHODOLOGY

The research method, which includes research stages, research locations, observed/measured variables, models used, research design, as well as data collection and analysis techniques, can be described as explained below:

3.1. Research process

Figure 2 is the research process.



Figure 2. Research process

3.2. Research location

The research locations are Jakarta and Tangerang. The basis for choosing Jakarta as the research location was because Jakarta is a city where four-wheeled traffic flows from supporting cities. Tangerang was selected as the following research location because automotive users in Tangerang City, South Tangerang City, and Tangerang Regency are buffer cities contributing significantly to traffic jams in DKI Jakarta.

3.3. Population and sample

The population is all car owners who drive their cars (owner drivers) in Jakarta, Tangerang City, South Tangerang City, and Tangerang Regency. Samples will be taken from the population.

3.4. Data collection technique

Because the exact number of owner drivers is unknown, the sampling technique used is convenience or nonprobability. The sample size for non-probability sampling Hair et al. [39] suggests multiplying the number of indicators multiplied by 5 to 10. The number of indicators in this study is 22 items; if multiplied by ten, the total sample is 220, which meets the minimum sample size.

3.5. Measurement instrument

The measurement instrument for the severity variable adopts four items developed by Johnston and Warkentin [40] [40] in Jun et al. [15]. Likewise, the measurement instrument for the vulnerability variable also adopts the four items developed by Johnston and Warkentin [40] in Jun et al. [15]. Meanwhile, the research instrument for the variable Performance expectancy, Effort expectancy, was adapted from a questionnaire developed by Venkatesh [19].

3.6. Data analysis method

This study will use the PLS-SEM analysis technique with the help of SmartPLS version 3.0 software. SEM-PLS data analysis will include outer model evaluation measurements to test reliability and validity and structural models or inner model evaluations to statistical T-tests or hypothesis tests [41]. Finally, the test results will be analyzed in depth to find the research results.

The analysis technique of this study uses PLS-SEM because PLS-SEM allows for estimating models with many constructs and items, even when the sample size is limited (see [42]). Hair et al. [42] said that unlike traditional approaches, PLS-SEM calculates the relationships between measurement and structural models separately, enabling application in situations where nonnormal data is prevalent. While this is a notable advantage for social science studies that often encounter nonnormal data, it alone does not justify its use sufficiently.

In a structural equation model with latent constructs, there are two components. The first component is the structural model, which shows the relationships between the latent constructs and only allows for recursive relationships. If the T-Statistic value > 1.96 and the P-value < 0.05, then the hypothesis is proven significant [43].

The second component is the measurement models, which include the relationships between each latent construct and its observed indicators. PLS-SEM permits only unidirectional relationships, with each indicator associated with a single latent construct. The outer model includes indicator reliability (outer loading > 0.70), convergent validity (AVE > 0.50), Composite Reliability (> 0.70), and discriminant validity using the Fornell-Larcker Criterion test [43].

4. RESULT AND DISCUSSION

The research results, which are the results of statistical processing of the data collected from the field, are presented in two presentations of the test results, namely the results of the outer model test and the results of the inner model test from the Structural Equation Model - Partial Least Square (SEM-PLS) analysis.

4.1. Outer model evaluation

The results of the outer model test show that all items or indicators of each research variable have outer loadings or factor loadings > 0.70 (comp. [44]), as shown in Table 1. All indicators of each research variable are proven valid or meet indicator reliability.

Perceived Vulnerability	
VN1	0.803
VN2	0.845
VN3	0.866
Perceived Severity	

SV1	0.756
SV2	0.852
SV3	0.724
Performance Expectancy	
PE1	0.906
PE2	0.917
PE3	0.931
PE4	0.899
Effort Expectancy	
EE1	0.833
EE2	0.898
EE3	0.891
EE4	0.884
Attitude	
ATT1	0.932
ATT2	0.948
ATT3	0.936
ATT4	0.939
ATT5	0.923
Behaviour Intention	
BI1	0.922
BI2	0.921
BI3	0.930

The results of the outer model test also prove that each variable is valid, as evidenced by all Average Variance Extracted (AVE) values for each variable > 0.50 (comp. [45]), as shown in Table 2. In addition to each variable being proven valid, each variable in this study is also proven to be reliable, as demonstrated by the results of Composite Reliability values and Cronbach's Alpha values > 0.70 (comp. [46]), as shown in Table 2.

Table 2.	Construct	Reliability	and Validity	7
	0011041 0000	1.00110001110		

	Cronbach's	Composite	Average
	Alpha	Reliability	Variance
			Extracted
			(AVE)
Attitude	0.964	0.972	0.875
Behaviour	0.915	0.947	0.855
Intention			
Effort	0.900	0.930	0.769
Expectancy			
Perceived	0.700	0.822	0.607
Severity			
Perceived	0.791	0.876	0.703
Vulnerability			
Performance	0.934	0.953	0.834
Expectancy			

The results of the Fornell-Larcker Criterion test show that the value of each variable is greater than the correlation value with other variables, as shown in Table 3. So each variable is proven valid or fulfills discriminant validity.

Table 3. Discriminant Validity - Fornell-Larcker Criterion

	AT	BI	EE	PE	PU	PE
AT	0.936					
BI	0.770	0.925				
EE	0.628	0.615	0.877			
PE	0.444	0.392	0.292	0.779		
PV	0.175	0.172	0.227	0.304	0.838	
PE	0.820	0.701	0.635	0.535	0.289	0.913

AT: Attitude; BI: Behaviour Intention; EE: Effort Expectancy; PE: Perceived Severity; PV: Perceived Vulnerability; PE: Performance Expectancy

4.2. Inner model evaluation

The results of the inner model test prove that only one hypothesis is not proven, namely H2, because perceived severity does not affect the positive attitude of automatic users towards the Advanced Driver Assistance System (ADAS). After all, the T-Statistic value is 0.867 < 1.96, and the P-value is 0.386 > 0.05 (see Table 4). Therefore, apart from H2, all hypotheses are proven.

Table 4.	Path	Coefficients
----------	------	--------------

Hipotesis		Original Sample (O)	T Statistics (O/STDEV)	P Values
H1	Perceived	-0.083	2.190	0.029
	Vulnerability			
	-> Attitude			
H2	Perceived	0.037	0.867	0.386
	Severity ->			
	Attitude			
H3	Performance	0.704	12.243	0.000
	Expectancy -			
	> Attitude			
H4	Effort	0.189	3.523	0.000
	Expectancy -			
	> Attitude			
H5	Attitude ->	0.770	19.726	0.000
	Behaviour			
	Intention			

The non-significant effect of perceived severity on attitude toward ADAS suggests the presence of other underlying factors that may have influenced individuals' attitudes in this context. While previous research has indicated a positive association between perceived severity and attitudes toward safety-related technologies [6], our findings deviate from this trend. But previous study by Sabzmakan [7], as well as Menard et al. [8] and Lee et al. [10] find that the severity was not significant factor of PMT. One possible explanation for this non-significant effect could be the participants' preexisting attitudes and beliefs about ADAS. It is plausible that individuals already held well-established attitudes toward ADAS, rendering the impact of perceived severity less influential in shaping their overall attitude. Furthermore, the non-significant effect of perceived severity on attitude toward ADAS suggests considering alternative variables that might mediate or moderate this relationship. For instance, individual differences in risk perception or prior exposure to ADAS technologies could influence the extent to which perceived severity impacts attitude formation. Investigating these potential mediators and moderators could provide valuable insights into the complexities of the perceived severity-attitude relationship.

The implications of this non-significant effect extend beyond theoretical contributions. From a practical standpoint, understanding the factors that shape individuals' attitudes toward ADAS is crucial for effectively implementing and accepting these systems. Therefore, acknowledging the absence of a direct effect of perceived severity on attitude highlights the importance of considering other influential factors in developing persuasive communication strategies or interventions to promote positive attitudes toward ADAS. Therefore, the unsupported hypothesis H2 regarding the effect of perceived severity on attitude toward ADAS necessitates further elaboration and exploration. The potential explanations discussed above offer directions for future research in order to uncover the underlying factors and mechanisms that shape attitudes toward ADAS. This enhanced understanding will aid in developing effective strategies for promoting the acceptance and adoption of ADAS technologies in the context of road safety.

Table 4 shows that the T-statistic value of H1 is 2.190 >1.96, and the P-value is 0.029 <0.05, so it can be stated that perceived vulnerability has a positive and significant effect on the positive attitude of automotive users towards ADAS. Furthermore, the effect of performance expectancy on the positive attitude of automotive users towards ADAS is also proven to be positive and significant, as indicated by the Tstatistic value of 12.243 > 1.96 and the P-value of 0.000 < 0.05. and thus H3 is confirmed. Furthermore, the effect of effort expectancy on the positive attitude of automotive users towards ADAS has also proven positive and significant, as evidenced by the T-statistic value of 3.523 > 1.96 and the Pvalue of 0.000 <0.05, so H4 is also confirmed. Furthermore, the effect of attitudes on the intention of automotive users to use ADAS also proved positive and significant, as indicated by the T-statistic value of 19,726 > 1.96 and the P-value of 0.000 < 0.05. Thus, H5 was confirmed.

Tabel	5	Specific	Indirect Effects	
rauci	J.	opeenie	muncet Lineus	

	Original Sample	T Statistics (O/STDEV)	P Values
	(0)	ά D	
Effort Expectancy ->	0.146	3.399	0.001
Attitude -> Behaviour			
Intention			
Perceived Severity ->	0.029	0.868	0.385
Attitude -> Behaviour			
Intention			
Perceived	-0.064	2.208	0.027
Vulnerability ->			
Attitude -> Behaviour			
Intention			
Performance	0.542	9.547	0.000
Expectancy ->			
Attitude -> Behaviour			
Intention			

Table 5 shows that attitude is proven to mediate the effect of effort expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 3.399 > 1.96 and a P-value of 0.001 < 0.05. Likewise, attitude is proven to mediate the effect of perceived vulnerability on the intention of automotive users to use ADAS, as indicated by the T-statistic value of 2.208 > 1.96 and P-value of 0.027 < 0.05. Then, attitude is also proven to mediate the effect of

performance expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 9.547 > 1.96 and a P-value of 0.000 < 0.05.

The results of this study indicate that the higher the vulnerability to the risk of traffic accidents, the more positive the attitude of car users towards the use of the ADAS driver assistance system. The finding confirms the result study of Yıldırım et al. [47], González-Castro et al. [48], and De Coninck et al. [49]. As we understand it, ADAS is a technology designed to help drivers reduce the risk of traffic accidents through warning and action when a potentially hazardous situation is detected. Self-perceived vulnerability is a concept that has been studied extensively in health psychology and health-related human behavior. This concept refers to a person's awareness of their health risks and ability to avoid or reduce them. In the context of a traffic accident, a person with a high perceived vulnerability is more aware of the potential risks of an accident and more open to using ADAS technology that can help reduce that risk. This study found that the vulnerability factor had a positive and significant effect on the attitude of drivers toward ADAS. This shows that the higher the perceived vulnerability, the more positive drivers' attitudes toward using ADAS technology to reduce the risk of traffic accidents.

The second discussion of this study found that the performance expectations of the Advanced Driving Assistance System (ADAS) technology could have been more optimal to affect the positive attitude of drivers toward driver assistance systems. In this context, performance expectation refers to the user's belief in the ability of ADAS technology to improve vehicle performance and driving safety. This study confirms the results of study by Siswanto [50], Shara and Widodo [51], and Razzak and Jassem [52]. The higher the performance expectations of users in this study, the more positive the attitude of drivers toward driver assistance systems.

This can be explained by the user's belief that ADAS technology can increase vehicle efficiency and improve driving safety. In this case, car users who have more confidence in the ability of ADAS technology to improve vehicle efficiency and driving safety tend to be more optimistic about this technology. This study also shows that drivers' education level and age influence performance expectations and attitudes toward the ADAS system. Younger and more educated drivers tend to have higher performance expectations and positive attitudes toward the ADAS system.

The third discussion in this study shows that the user's effort expectancy for the ease of use of ADAS technology affects the positive attitude of automotive users towards ADAS. This study confirms the results study by Siswanto [50], Shara and Widodo [51], and Razzak and Jassem [52]. In this context, effort expectancy refers to the user's belief about the ease of use of ADAS technology and the user's readiness to deal with changes in driving behavior. In this study, the higher the user's perceived level of effort expectancy, the more positive the attitude of automotive users toward ADAS. This can be explained by the user's belief that ADAS technology is easy to use and does not require the user to make significant changes in driving behavior. In this case, automotive users who feel more comfortable with ADAS technology and believe it is easy to use tend to have a more positive attitude.

The results showed that effort expectancy or user expectations for the ease of use of ADAS technology affect the attitude of automotive users towards ADAS. In this case, the attitude in question is an attitude that includes the user's trust, assessment, and evaluation of ADAS technology. This research shows that the higher the level of effort expectancy felt by the user, the more positive the attitude of automotive users toward ADAS. This can be explained by users' belief that ADAS technology is easy to use and does not require significant changes in driving behavior.

In this context, effort expectancy mediates between other factors, such as performance expectancy and user attitude towards ADAS. In other words, the higher the user's perceived level of effort expectancy, the stronger the relationship between performance expectancy and the user's attitude toward ADAS.

The fifth discussion in this study is that the positive attitude of automotive users towards ADAS has a positive and significant effect on their intention to use the technology. This means that the more positive the user's attitude towards ADAS, the more likely they are to use the technology in driving. This finding confirms the result of study by Hussein and Wahid [53], Hussein [54], Sari et al. [55], Pertami and Sukaatmadja [56], and Sari [57].

The results of this study, taken as a whole, may have important implications for automakers and policymakers in designing more effective marketing campaigns and product development strategies. In this regard, manufacturers must consider factors such as performance expectations and demographics when designing more effective marketing campaigns and product development strategies. On the other hand, policymakers can use the results of this research to increase public awareness of the benefits of ADAS technology and encourage the use of this technology as part of efforts to improve driving safety

5. CONCLUSIONS

Based on the research results, it can be concluded that, except for Hypothesis 2, all hypotheses are proven. The perceived vulnerability variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Likewise, the performance expectancy variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its Pvalue is lower than 0.05. The effort expectancy variable has also been shown to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Finally, the attitude of automotive users toward ADAS has a positive and significant effect on their intention to use ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. So only the variable perceived Severity is not proven to have a positive and significant effect on the attitude of automotive users towards ADAS

The study's findings have significant practical implications for policymakers, car manufacturers, and technology developers involved in Advanced Driver Assistance Systems (ADAS). Policymakers can raise awareness and educate the public about ADAS benefits while incentivizing adoption through tax benefits and reduced insurance premiums. Car manufacturers can enhance perceived vulnerability by emphasizing risks associated with traditional driving methods, improve performance expectancy through continuous research and development, and ensure user-friendly experiences to increase positive attitudes towards ADAS. Technology developers should prioritize usability by designing usercentered ADAS and address concerns about severity to influence attitudes towards ADAS positively. These implications aim to create an environment conducive to ADAS adoption, enhancing road safety and reducing accidents.

The theoretical benefit of this research is the creation of a C-PMT-UTAUT conceptual model, which future researchers can then test. In addition, the results of this market research can also serve as a basis for future Applied Research and Development Research.

Further research in the ADAS context should investigate the relationship between perceived severity and attitudes towards ADAS, considering potential mediators or moderators such as risk perception and personal accident experiences. Longitudinal studies are needed to assess the stability of attitudes and intentions towards ADAS over time and their impact on adoption and sustained usage. Additionally, research should focus on user experience and usability aspects of ADAS to identify areas for improvement, considering users' perceptions, challenges, and preferences related to the interface, system feedback, and adaptability in various driving conditions. Exploring the influence of cultural and contextual factors on attitudes towards ADAS is crucial for tailoring strategies globally by examining the interaction of cultural norms, driving habits, and regulatory frameworks with attitudes and acceptance of ADAS. Addressing these areas will provide a deeper understanding and inform targeted strategies for promoting ADAS adoption and usage.

The study has several limitations. Firstly, it has a limited geographical scope, focusing only on Jakarta and Tangerang, which may limit the generalizability of the findings to other locations. Secondly, convenience sampling was used, introducing potential bias and limiting the sample's representativeness. Nonresponse bias and the absence of qualitative data further affect the generalizability and depth of understanding. Furthermore, the findings may not apply to other contexts due to specific factors. Lastly, the study needs formation on the timeframe of data collection and the stability of relationships over time, potentially impacting the dynamic nature of attitudes and intentions towards ADAS.

Future research can address the study's limitations by expanding the geographical scope to include a broader range of cities or regions, allowing for a more comprehensive understanding of attitudes and intentions toward ADAS. Implementing diverse sampling techniques, such as random or stratified sampling, can enhance the sample's representativeness and improve the findings' validity and reliability. Future studies should provide information on response rates and incorporate qualitative data through interviews, focus groups, or observational studies to mitigate nonresponse bias, providing richer insights into car owners' experiences and perspectives. Considering contextual factors, such as cultural norms and technological advancements, can enhance the applicability of the findings to different contexts. Employing longitudinal designs and assessing stability over time will capture the dynamic nature of attitudes and intentions towards ADAS, identifying trends and factors influencing relationships. Transparent reporting of the data collection timeframe will facilitate comparisons across studies, contributing to a comprehensive understanding applicable across diverse locations and contexts.

ACKNOWLEDGMENT

This paper is the output of research results funded by winning Higher Education Excellence Basic Research from the Center for Research and Community Service, Pembangunan Jaya University, with Research Contract Number: 005/PER-P2M/UPJ/11.22.

REFERENCES

- A. Ahdira, "5 Provinsi dengan Jumlah Kecelakaan Terbanyak di Indonesia, Korban Jiwa Capai 295 Orang," *Pikiran Rakyat*, 2020.
- [2] KOMINFO, "Rata-rata Tiga Orang Meninggal Setiap Jam Akibat Kecelakaan Jalan," *Kominfo.go.id*, 2017. https://kominfo.go.id/index.php/content/detail/10368/ rata-rata-tiga-orang-meninggal-setiap-jam-akibatkecelakaan-jalan/0/artikel_gpr.
- [3] L. Masello, G. Castignani, B. Sheehan, F. Murphy, and K. McDonnell, "On the road safety benefits of advanced driver assistance systems in different driving contexts," *Transp. Res. Interdiscip. Perspect.*, vol. 15, no. April, pp. 1–20, 2022, doi: 10.1016/j.trip.2022.100670.
- [4] E. Akyüz, "The Solutions to Traffic Congestion in Istanbul," J. Acad. Soc. Sci., vol. 3, no. 16, pp. 442– 442, 2015, doi: 10.16992/asos.792.
- [5] O. Tengilimoglu, O. Carsten, and Z. Wadud, "Implications of automated vehicles for physical road environment: A comprehensive review," *Transp. Res. Part E Logist. Transp. Rev.*, vol. 169, pp. 1–29, 2023, doi: 10.1016/j.tre.2022.102989.
- [6] H. Ibrahim and M. M. Q. Al-Ajlouni, "Sustainable consumption: Insights from the protection motivation (PMT), deontic justice (DJT) and construal level (CLT) theories," *Manag. Decis.*, vol. 56, no. 3, pp. 610–633, 2018, doi: 10.1108/MD-05-2016-0323.
- [7] L. Sabzmakan, M. Ghasemi, M. Asghari Jafarabadi, T. Kamalikhah, and M. Chaleshgar Kordasiabi, "Factors Associated with Tobacco Use among Iranian Adolescents: An Application of Protection Motivation Theory," *Subst. Use Misuse*, vol. 53, no. 9, pp. 1511–1518, 2018, doi: 10.1080/10826084.2017.1415356.
- P. Menard, G. J. Bott, and R. E. Crossler, "User [8] Motivations in Protecting Information Security: Protection Motivation Theory Versus Self-Determination Theory," J. Manag. Inf. Syst., vol. 34, no. 4. 1203-1230, 2017. doi: pp. 10.1080/07421222.2017.1394083.
- [9] E. J. Kothe, M. Ling, M. North, A. Klas, B. A. Mullan, and L. Novoradovskaya, "Protection motivation theory and pro-environmental behaviour: A systematic mapping review," *Aust. J. Psychol.*, vol. 71, no. 4, pp. 411–432, 2019, doi: 10.1111/ajpy.12271.
- J. H. Lee, A. Mustapha, and J. Hwang, "Enhancing ethnic restaurant visits and reducing risk perception: The effect of information and protection motivation," *J. Hosp. Tour. Insights*, vol. 2, no. 4, pp. 341–357, 2019, doi: 10.1108/JHTI-10-2018-0068.
- [11] D. Fischer-Preßler, D. Bonaretti, and K. Fischbach, "A Protection-Motivation Perspective to Explain Intention to Use and Continue to Use Mobile Warning

Systems," Bus. Inf. Syst. Eng., 2021, doi: 10.1007/s12599-021-00704-0.

- [12] A. Tarhini, M. El-Masri, M. Ali, and A. Serrano, "Extending the utaut model to understand the customers' acceptance and use of internet banking in lebanon a structural equation modeling approach," *Inf. Technol. People*, vol. 29, no. 4, pp. 830–849, 2016, doi: 10.1108/ITP-02-2014-0034.
- [13] E. T. Lwoga and M. Komba, "Antecedents of continued usage intentions of web-based learning management system in Tanzania," *Educ.* + *Train.*, vol. 57, no. 7, pp. 738–756, 2015.
- [14] M. Z. Alam, W. Hu, M. R. Hoque, and M. A. Kaium, "Adoption intention and usage behavior of mHealth services in Bangladesh and China: A cross-country analysis," *Int. J. Pharm. Healthc. Mark.*, vol. 14, no. 1, pp. 37–60, 2019, doi: 10.1108/IJPHM-03-2019-0023.
- [15] J. Jun, H. Park, and I. Cho, "Study on initial adoption of advanced driver assistance system: integrated model of PMT and UTAUT 2," *Total Qual. Manag. Bus. Excell.*, vol. 30, no. sup1, pp. S83–S97, 2019, doi: 10.1080/14783363.2019.1665820.
- [16] Wuling, "Teknologi Advanced Driver Assistance System (ADAS) untuk Keamanan Berkendara," Auto Tips, 2021. https://wuling.id/id/blog/autotips/teknologiadvanced-driver-assistance-system-adas-untukkeamanan-berkendara/.
- [17] R. W. Rogers, "A protection motivation theory of fear appeals and attitude change.," *J. Psychol.*, vol. 91, no. 1, pp. 93–114, 1975.
- [18] Y. Gao, H. Li, and Y. Luo, "An empirical study of wearable technology acceptance in healthcare," *Ind. Manag. Data Syst.*, vol. 115, no. 9, pp. 1704–1723, 2015, doi: 10.1108/IMDS-03-2015-0087.
- [19] V. Venkatesh, M. Morris, G. Davis, and F. Davis, "User acceptance of information technology: towards a unified view," *MIS Q.*, vol. 27, no. 3, pp. 425–477, 2003.
- [20] V. Venkatesh, J. Thong, and X. Xu, "Consumer acceptance and use of information technology: extending the unified theory of acceptance and use of technology," *MIS Q.*, vol. 36, no. 1, pp. 157–178, 2012.
- [21] N. Mahzan and A. Lymer, "Examining the adoption of computer-assisted audit tools and techniques: Cases of generalized audit software use by internal auditors," *Manag. Audit. J.*, vol. 29, no. 4, pp. 327–349, 2014, doi: 10.1108/MAJ-05-2013-0877.
- [22] L. Carter, C. L. Shaupp, J. Hobbs, and R. Campbell, "The role of security and trust in the adoption of online tax filing The role of security and trust in the adoption of online tax filing," *Transform. Gov. People, Process Policy*, vol. 5, no. 3, pp. 303–318, 2011, [Online]. Available:

http://dx.doi.org/10.1108/17506161111173568.

- [23] M. Arif, K. Ameen, and M. Rafiq, "Factors affecting student use of Web-based services: Application of UTAUT in the Pakistani context," *Electron. Libr.*, vol. 36, no. 3, pp. 518–534, 2018, doi: 10.1108/EL-06-2016-0129.
- [24] N. Thongsri, L. Shen, Y. Bao, and I. M. Alharbi, "Integrating UTAUT and UGT to explain behavioural

intention to use M-learning: A developing country's perspective," *J. Syst. Inf. Technol.*, vol. 20, no. 3, pp. 278–297, 2018, doi: 10.1108/JSIT-11-2017-0107.

- [25] A. Gunasinghe, J. A. Hamid, A. Khatibi, and S. M. F. Azam, "The adequacy of UTAUT-3 in interpreting academician's adoption to e-Learning in higher education environments," *Interact. Technol. Smart Educ.*, vol. 17, no. 1, pp. 86–106, 2019, doi: 10.1108/ITSE-05-2019-0020.
- [26] C. Buabeng-Andoh and C. Baah, "Pre-service teachers' intention to use learning management system: an integration of UTAUT and TAM," *Interact. Technol. Smart Educ.*, vol. 17, no. 4, pp. 455– 474, 2020, doi: 10.1108/ITSE-02-2020-0028.
- [27] C. C. Chang, "Library mobile applications in university libraries," *Libr. Hi Tech*, vol. 31, no. 3, pp. 478–492, 2013, doi: 10.1108/LHT-03-2013-0024.
- [28] C. G. Wu and P. Y. Wu, "Investigating user continuance intention toward library self-service technology: The case of self-issue and return systems in the public context," *Libr. Hi Tech*, vol. 37, no. 3, pp. 401–417, 2019, doi: 10.1108/LHT-02-2018-0025.
- [29] K. A. Al Mansoori, J. Sarabdeen, and A. L. Tchantchane, "Investigating Emirati citizens' adoption of e-government services in Abu Dhabi using modified UTAUT model Article information," *Inf. Technol. People*, vol. 31, no. 2, pp. 455–481, 2018, doi: https://doi.org/10.1108/ITP-12-2016-0290.
- [30] M. Kuciapski, "A model of mobile technologies acceptance for knowledge transfer by employees," J. *Knowl. Manag.*, vol. 21, no. 5, pp. 1053–1076, 2017, doi: 10.1108/JKM-03-2016-0136.
- [31] B. Sivathanu, "Adoption of digital payment systems in the era of demonetization in India: An empirical study," *J. Sci. Technol. Policy Manag.*, vol. 10, no. 1, pp. 143–171, 2019, doi: 10.1108/JSTPM-07-2017-0033.
- [32] N. Sobti, "Impact of demonetization on diffusion of mobile payment service in India: Antecedents of behavioral intention and adoption using extended UTAUT model," *J. Adv. Manag. Res.*, vol. 16, no. 4, pp. 472–497, 2019, doi: 10.1108/JAMR-09-2018-0086.
- [33] K. P. Gupta, R. Manrai, and U. Goel, "Factors influencing adoption of payments banks by Indian customers: extending UTAUT with perceived credibility," *J. Asia Bus. Stud.*, vol. 13, no. 2, pp. 173– 195, 2019, doi: 10.1108/JABS-07-2017-0111.
- [34] S. Rahi, M. M. Othman Mansour, M. Alghizzawi, and F. M. Alnaser, "Integration of UTAUT model in internet banking adoption context: The mediating role of performance expectancy and effort expectancy," *J. Res. Interact. Mark.*, vol. 13, no. 3, pp. 411–435, 2019, doi: 10.1108/JRIM-02-2018-0032.
- [35] A. Giovanis, C. Assimakopoulos, and C. Sarmaniotis, "Adoption of mobile self-service retail banking technologies: The role of technology, social, channel and personal factors," *Int. J. Retail Distrib. Manag.*, vol. 47, no. 9, pp. 894–914, 2019, doi: 10.1108/IJRDM-05-2018-0089.
- [36] R. Odoom and J. P. Kosiba, "Mobile money usage and continuance intention among micro enterprises in an emerging market – the mediating role of agent credibility," J. Syst. Inf. Technol., vol. 22, no. 4, pp.

97-117, 2020, doi: 10.1108/JSIT-03-2019-0062.

- [37] E. Purwanto, R. Sjarief, and C. Anwar, "The Effect of the Innovation Resistance Factors on the Digital Fishery Platform Acceptance in Developing Country," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 5, pp. 507– 518, 2021, doi: 10.48047/rigeo.11/5/53.
- [38] E. Purwanto, R. Sjarief, and C. Anwar, "Driving And Restricting Factors Of The Behavior Intention Of The Digital Fishery Platform Adoption In New Normal: Combine Utaut-Irt Model," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 8, pp. 1089–1103, 2021, doi: 10.48047/rigeo.11.08.93.
- [39] J. F. Hair, W. C. Black, B. J. Babin, and R. E. Anderson, *Multivariate Data Analysis*, 7th ed. New Jersey: Pearson Education, 2010.
- [40] A. C. Johnston and M. Warkentin, "Fear appeals and information security behaviors: An empirical study," *MIS Q.*, vol. 34, no. 3, pp. 549–566, 2010.
- [41] J. F. Hair, C. M. Ringle, and M. Sarstedt, "PLS-SEM: Indeed a silver bullet," *J. Mark. Theory Pract.*, vol. 19, no. 2, pp. 139–151, 2011.
- [42] J. F. Hair, J. J. Risher, M. Sarstedt, and C. M. Ringle, "When to use and how to report the results of PLS-SEM," *Eur. Bus. Rev.*, vol. 31, no. 1, pp. 2–24, 2019, doi: 10.1108/EBR-11-2018-0203.
- [43] J. F. Hair, C. M. Ringle, and M. Sarstedt, "PLS-SEM: Indeed a silver bullet," *J. Mark. Theory Pract.*, vol. 19, no. 2, pp. 139–152, 2011, doi: 10.2753/MTP1069-6679190202.
- [44] M. Tjiu and E. Purwanto, "Guanxi and the leadermember exchange in the chinese supervisor and subordinate relationship," J. Appl. Econ. Sci., vol. 12, no. 8, 2017.
- [45] E. Purwanto and A. D. B. Purwanto, "An investigative study on sustainable competitive advantage of manufacture companies in Indonesia," *Bus. Theory Pract.*, vol. 21, no. 2, 2020, doi: 10.3846/btp.2020.12256.
- [46] E. Purwanto, C. Utama, and B. Wijaya, "The effects of shock advertising on purchase intentions and behavior of cigarettes in collectivistic culture," *J. Adv. Res. Law Econ.*, vol. 9, no. 2, pp. 625–638, 2018.
- [47] Y. M, G. E, and A. Ö, "The impacts of vulnerability, perceived risk, and fear on preventive behaviours against COVID-19," *Psychol Heal. Med.*, vol. 26, no. 1, pp. 35–43, 2021.
- J. L. González-Castro, S. Ubillos-Landa, A. Puente-[48] Martínez, and M. Gracia-Leiva, "Perceived Vulnerability and Severity Predict Adherence to COVID-19 Protection Measures: The Mediating Role of Instrumental Coping," Front. Psychol., vol. 12, no. 2021, July, 1 - 14, doi: pp. 10.3389/fpsyg.2021.674032.
- [49] D. De Coninck, L. D'Haenens, and K. Matthijs, "Perceived vulnerability to disease and attitudes towards public health measures: COVID-19 in Flanders, Belgium," *Pers. Individ. Dif.*, vol. 166, no. November, 2020, doi: 10.1016/j.paid.2020.110220.
- [50] T. Siswanto, R. Shofiati, and H. Hartini, "Acceptance and Utilization of Technology (UTAUT) as a Method of Technology Acceptance Model of Mitigation Disaster Website," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 106, no. 1, 2018, doi: 10.1088/1755-1315/106/1/012011.

- [51] P. V. Shara and T. Widodo, "Penerapan Model Unified Theory of Acceptance and Use Of Technology (UTAUT) untuk Menganalisis Minat Pengguna Smartphone Di Kota Bandung," *Sosiohumanitas*, vol. 20, no. 1, pp. 70–83, 2018.
- [52] M. R. Razzak and S. Jassem, "Mobile-Assisted Language Learning for EFL: A Conceptual Framework based on the Meta-UTAUT Model," *Asia-Pacific J. Educ. Manag. Res.*, vol. 6, no. 2, pp. 15–32, 2021, doi: 10.21742/ajemr.2021.6.2.02.
- [53] Z. Hussein and N. Abd Wahid, "The Effects of User's Attitude on the Intention to Purchase and to Revisit in Game Advertising," *Asian J. Behav. Stud.*, vol. 3, no. 13, pp. 161–168, 2018, doi: 10.21834/ajbes.v3i13.153.
- [54] Z. Hussein, "Leading to Intention: The Role of Attitude in Relation to Technology Acceptance Model in E-Learning," *Procedia Comput. Sci.*, vol. 105, no. December 2016, pp. 159–164, 2017, doi:

10.1016/j.procs.2017.01.196.

- [55] R. L. Sari, A. B. Habibi, and E. P. Hayuningputri, "Impact of Attitude, Perceived Ease of Use, Convenience, and Social Benefit on Intention to Use Mobile Payment," *Asia Pacific Manag. Bus. Appl.*, vol. 11, no. 2, pp. 143–156, 2022, doi: 10.21776/ub.apmba.2022.011.02.2.
- [56] N. P. A. P. Pertami and I. P. G. Sukaatmadja, "The Role of User's Attitude Mediating the Effect of Perceived Ease of use and Social Influence towards the Continuance usage Intention of TikTok," SSRG Int. J. Econ. Manag. Stud., vol. 8, no. 1, pp. 98–104, 2021.
- [57] N. N. Sari, "The Use of Technology Acceptance Model to Explain Brand Attitude and Loyalty Intention in E-Commerce: The Gamification Case," *ASEAN Mark. J.*, vol. 14, no. 1, pp. 72–96, 2022.

Decision on your revised paper submitted to JESA (ID JESA Edi Purwanto)

editor.jesa iieta.org <editor.jesa@iieta.org> Wed 21/06/2023 15:39 To:Edi Purwanto <Edi.purwanto@upj.ac.id> Dear Professor,

We have reached a decision regarding your submission to Journal Européen des Systèmes Automatisés,

Manuscript Title: Traffic Accident Prevention through Acceptance of Advanced Driver Assistance System (ADAS) among Urban People Manuscript ID: JESA Edi Purwanto

Our decision is to: Accept Submission

Before we proceed with the publication of your article, please complete the arranging of payment of your article processing charge (US\$400) in 3-4 days by the following way:

USD Remittance Path BENEFICIARY NAME: IIETA-RSMC Beijing LTD ACCOUNT NUMBER: 0200296409116032240 BENEFICIARY ADDRESS: Room 302, Building 3, Jinmao Plaza, Fengtai District, Beijing, PRC BENEFICIARY BANKER'S NAME: Industrial and Commercial Bank of China Beijing Municipal Branch, Beijing, PRC SWIFT CODE: ICBKCNBJBJM

Ps: 1. Remark the manuscript ID and the remitter's name in the Remittance.2. Send the remittance receipt or payment screenshot, and name of the remitter to this email.

If you have any questions, please do not hesitate to contact us.

Thank you for your understanding and support.

Kind regards, Assistant Editor: Ms. Joy Wei

Editorial Board Journal Européen des Systèmes Automatisés https://www.iieta.org/Journals/JESA published by International Information and Engineering Technology Association (IIETA) http://www.iieta.org/



Final proof of your manuscript accepted by JESA (Edi)

editor.jesa iieta.org <editor.jesa@iieta.org> Fri 28/07/2023 21:11 To:Edi Purwanto <Edi.purwanto@upj.ac.id>

2 attachments (2 MB) IIETA CTA.pdf; 4 JESA Edi Purwanto Final Proof.docx;

Dear Professor,

Before publication, it is decided that this final proof should be sent to the authors for careful reading and check, to rule out the mistakes / errors of all kinds.

Please download "Final Proof". Read it carefully with particular reference to the following points:

- 1. If some corrections in Final Proof are made, highlight them in the Word file;
- 2. Check with care all the symbols in the text;
- **3**. Please have full name of all authors and highlight the family names as it is requested to put family names after forenames;
- 4. Please provide the ORCID of all authors (If some of the authors have not ORCID, those who have shall provide us with it)
- 5. Address 1-2 should include 5 elements: department, university, city, postal code and country;
- 6. Citation 15 in introduction should be mentioned after citation 14.
- 7. Figure 1 and 2 should be mentioned in the text in sequence;
- 8. Reference 1, 2, 16 in the reference list can't be searched online and please change them and have right doi links added to them and please make sure all the relative citations in the text should also be updated;
- 9. Reference 41, 43 in the reference list are the same and please change either of them and please make sure all the relative citations in the text should also be updated.
- **10**. Please fill in "**Copyright Transfer Agreement**". Please note that "corresponding author's signature" in the agreement shall be manually signed.

As online publication date of this June issue is within two days, please return the corrected final proof before **July 29, 2023.**

It is our mutual responsibility that the academic works published in the journal should be "mistake or error free" and of quality as well. Our attention and efforts to this would make the journal still better, besides enhancing the utility of your published research.

Best regards,

Ms. Joy Wei | Assistant Editor Editorial Board Journal Européen des Systèmes Automatisés <u>https://www.iieta.org/Journals/JESA</u> published by International Information and Engineering Technology Association (IIETA) <u>http://www.iieta.org/</u>





the performance expectancy and effort expectancy variables. Furthermore, the study's results also prove that attitude significantly affects the intention of automotive users to add ADAS features to their vehicles. The research results prove that the perceived vulnerability is proven to positively and significantly affect attitudes to ADAS. Likewise, the effect of performance expectancy on attitude toward ADAS is proven to be positive and significant. The effort expectancy also positively and significantly affects the attitude toward ADAS. One factor that has yet to be proven to be a concerned driver is severity because the perceived severity has not been proven to influence attitudes toward ADAS significantly. Then, the attitude positively and significantly affects the intention to use ADAS. The findings of this study have important practical implications for policymakers, car manufacturers, and technology developers working on ADAS. Policymakers can promote awareness, education and implement incentives. Car manufacturers can enhance perceived vulnerability, improve performance expectancy, and simplify the user experience. Technology developers can emphasize usability and address concerns about severity.

Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People

Edi Purwanto^{1*}, Dede Suleman¹, Rachman Sjarief¹, Dewi Sri², Muhammad Daffa Juliansyah², Muhammad Iqbal Revilliano Trisandri²

¹ Department of Management and Jaya Launch Pad, Universitas Pembangunan Jaya, South Tangerang 15413, Indonesia ² Department of Management, Universitas Pembangunan Jaya, South Tangerang 15413, Indonesia

Corresponding Author Email: edi.purwanto@upj.ac.id

https://doi.org/10.18280/jesa.xxxxx ABSTRACT **Received:** Lead Indonesia's accident cases are caused mainly by human error, which can be reduced by implementing an Advanced Driver Assistance System (ADAS) technology. Protection Accepted: motivation and acceptance of technology are generally a concern for drivers adopting ADAS. Therefore, this research aims to build a model of the Combined Protection Keywords: Motivation Theory and Unified Theory of Acceptance and Use of Technology (C-PMT-ADAS, technology acceptance, attitude, UTAUT) to determine the factors that encourage drivers and owner-drivers' interest in UTAUT, PMT using the ADAS. This research method applies quantitative research to a population of automotive users in Jakarta and Tangerang. A survey was conducted with a sample of 220 automotive users in Jakarta and Tangerang. Determination of the sample using the convenience sampling method and the samples collected and used were 220 samples. The data is then processed using Smart-PLS. The research results prove that perceived vulnerability affects the positive attitude of automotive users to use ADAS, likewise, with

1. INTRODUCTION

A release from the National Police regarding the level of traffic accident cases at the end of 2020 shows that the province of DKI Jakarta is ranked fifth with a total of 73 incidents. Compared to DKI Jakarta, Central Java is in first place with 336 cases. East Java is in second place with 332 cases, West Java is in third place with 180 cases, and DI Yogyakarta is in fourth place with 91 cases [1]. Kominfo reports that, on average, three people die every hour due to traffic accidents. According to this news, 61 percent of the causes of traffic accidents are due to the human factor related to the ability and character of the driver, 30 percent due to infrastructure and environmental factors, and only 9 percent due to the vehicle's worthiness factor [2]. So based on this information, 61 percent of traffic accidents are caused by the ability and behavior of the driver. Interestingly, the province of DKI Jakarta does not occupy the first position for the number of traffic accident cases, but instead, it is in the fifth position. The large number of new car users in Jakarta who have used the Advanced Driver Assistance System (ADAS) technology is likely why the rate of accident cases is below Central Java, East Java, West Java, and DI Yogyakarta.

Advanced Driver Assistance Systems (ADAS) technology plays a crucial role in addressing the challenges of road accidents in urban areas [3]. With the rapid growth of population and vehicles in big cities, the risk of accidents and traffic congestion has become a pressing concern [4]. ADAS offers a range of features such as collision warning, lane departure warning, automatic emergency braking, and adaptive cruise control, which can significantly assist drivers in navigating busy city streets and avoiding potential collisions. Using sensor-based technologies, ADAS enhances driver awareness, provides real-time feedback, and enables proactive safety measures. This technology is essential in mitigating human errors, which are often the primary cause of accidents in urban environments. Integrating ADAS into vehicles and promoting its adoption can significantly reduce the number of accidents, improve road safety, and create a safer driving environment for both motorists and pedestrians in large cities

[5].

The problem in Indonesia, especially Jakarta and Tangerang cities, is that very few cars are equipped with ADAS, for example, Wuling Almaz, Daihatsu Rocky, Toyota New Raize, and the latest Honda BRV.

Several previous studies tested PMT for the context of acceptance of green products [6], health [7], information security protection [8], protecting environmental sustainability [9], ethnic restaurants [10], mobile emergency warning apps [11], but it is still challenging to find PMT testing to test ADAS acceptance. Therefore, Jun et al. [15] wrote a systematic literature review of PMT and suggested testing this model in the context of ADAS acceptance. Severity and vulnerability are considered essential factors in preventing road accidents. Therefore this study includes the PMT factors to test attitudes and intentions to use ADAS.

The UTAUT model is a model commonly used to test technology acceptance. Because ADAS is a form of innovation or technology, the UTAUT factors are essential for testing ADAS acceptance. However, comparing previous studies on testing ADAS acceptance using the UTAUT model is still challenging. Most of the technology adoption tested with UTAUT was primarily, for example, acceptance of M-banking [12], e-learning [13], m-health service [14], and other fields. However, the model's UTAUT factors are essential for testing ADAS acceptability; therefore, this study includes UTAUT factors. Because the PMT and UTAUT factors are crucial factors that can influence users to adopt ADAS, this research combines the PMT and UTAUT models to become Combined PMT-UTAUT.

ADAS refers to a collection of features and technologies designed to assist drivers in enhancing safety, reducing accidents, and improving the overall driving experience. ADAS aims to augment the driver's abilities and mitigate potential risks by providing real-time information, alerts, and automated assistance. ADAS enhances driver awareness by utilizing sensors and cameras to monitor the surroundings. detecting potential hazards, and alerting the driver accordingly. It includes features such as forward collision warning, lane departure warning, and blind-spot detection, which help prevent accidents caused by human errors or inattention. ADAS also improves driver responsiveness through features like adaptive cruise control, which automatically adjusts the vehicle's speed to maintain a safe distance from the vehicle ahead. It reduces the likelihood of rear-end collisions and enhances traffic flow efficiency.

Furthermore, ADAS assists in mitigating the severity of accidents through features like automatic emergency braking and pedestrian detection. Overall, ADAS technology significantly reduces traffic accidents, injuries, and fatalities by providing drivers with advanced warning systems, assistance in critical situations, and increased situational awareness.

The specific objectives of this research are: (1) to create a C-PMT-UTAUT conceptual model and test it, (2) to produce market research that constitutes Basic Research that will become the basis for applied research and development research which is helpful for automotive companies to complement their new products with ADAS, and start-up companies to create Mobile-ADAS technology for cars that are not yet equipped with ADAS.

The urgency of this research is because the facts and data have confirmed that the highest cause of traffic accidents is caused by the human factor (Ahdira [1]), so the development of ADAS is expected to be able to reduce the rate of traffic accidents due to these human errors. For this reason, it is necessary to research the community's intention to use ADAS and the factors that influence it.

2. LITERATURE REVIEW

The Advanced Driver Assistance System (ADAS) is a set of technology systems that can be used to develop vehicle products that help drivers use their cars safely and automatically. The ADAS concept began to be realized in the 1980s when the European Union initiated DRIVE (Dedicated Road Infrastructure for Vehicle Safety in Europe), a project to reduce the risk of traffic accidents on the road and improve the cognitive abilities of drivers [15]. As a result, the number of cars using ADAS continues to increase, and automation with the ADAS system continues to grow over time [15].

The ADAS system currently embedded in several car products in Indonesia includes: (1) Adaptive Cruise Control (ACC), an automatic system that adjusts speed according to the speed of the car in front of it. (2) Bend Cruise Assistance (BCA), an automatic system that helps reduce speed when the vehicle enters a bend. (3) Traffic Jam Assistance (TJA), an automatic system capable of assisting a safe distance from the vehicle in front of it when there is a traffic jam. (4) Intelligent Cruise Assistance (ICA) and Lane Departure Warning (LDW), which automatically give a warning when the vehicle leaves the safe lane. (5) Lane Keeping Assistance (LKA) automatically corrects the steering direction to return to a safe lane. (6) Safe Distance Warning (SDW) automatically warns that the vehicle in front is too close, and several other ADAS systems. (7) Forward Collision Warning (FCW) is a system that detects potential collisions on the front by giving a warning in the form of a sound or visual display. The brakes will automatically adjust to the level of danger that will occur. (8) Automatic Emergency Braking (AEB), a system that works when the driver does not respond to a collision hazard warning, in which case this system will automatically apply emergency braking. (9) Intelligent Hydraulic Braking Assistance (IHBA), a system that will adjust automatic braking according to the risk of danger. (10) Collision Mitigation System (CMS), a system that will reduce the vehicle's speed to minimize the severity of injury or damage to the car due to a collision. (11) Intelligent Head Beam Assistance (IHMA), a system that will automatically adjust the height of the leading light to adjust the lighting conditions in the surrounding environment [16].

This research examines the factors that influence people's intention to use ADAS as a complement to driving safety. Using the Protection motivation theory (PMT) and the Unified Theory of Acceptance and Use of Technology (UTAUT), apart from finding the driving factors of these intentions, a C-PMT-UTAUT model will also be built.

Protection motivation theory (PMT) was previously mainly applied in the field of health sciences. Rogers [17] initially put forward this theory to explain changes in individual attitudes and behavior related to health. This theory explains psychological fear and individual responses to health threats. Psychological fear raises the motivation to find protection from threats. This protective motive will affect the individual's actual behavior [15]. Even though initially PMT was a theory used to research protective motivation related to health problems, then Jun et al. [15] wrote a treatise recommending the use of PMT to test people's intentions to use the advanced driver assistance system (ADAS) to protect themselves from the threat of traffic accidents.

As far as searching the literature on reputable international journal databases, previous research related to PMT has not found the use of this theory to test motivation to protect oneself from traffic accidents by utilizing an advanced driver assistance system (ADAS). For example, even though Jun et al. [15] wrote a literature review on the acceptance of ADAS using PMT, empirical field research has vet to be carried out. Other researchers who have used PMT include Gao et al. [18] in the context of healthcare acceptance in China. Likewise, Ibrahim and Al-Ajlouni [6] tested PMT in the context of green products in Saudi Arabia, Sabzmakan et al. [7] in the context of health hazards from tobacco in Iran, Menard et al. [8] in the context of information security protection in the United States, Kothe et al. [9] in the context of protecting environmental sustainability, Lee et al. [10] in the context of ethnic restaurants in South Korea, and Fischer-Preßler et al. [11] in the context of the adoption of mobile emergency warning apps in Germany.

The UTAUT model was developed by Venkatesh et al. [19] in 2003 and the UTAUT2 model was also developed by Venkatesh et al. [20] in 2012. Many researchers use the UTAUT model to examine factors that influence the intention to use various innovative technologies in various countries, for example, testing the UTAUT model in the context of acceptance of computer-assisted audit techniques and tools (CAATTs) [21], online tax filling [22], e-learning by Lwoga and Komba [13], Arif et al. [23], Thongsri et al. [24], Gunasinghe et al. [25], Buabeng-Andoh and Baah [26], mobile library by Chang [27], Wu and Wu [28], e-government service [29], m-health service [14], acceptance of digital payment platforms by Tarhini et al. [12], Kuciapski [30], Sivathanu [31], Sobti [32], Gupta et al. [33], Rahi et al. [34], Giovanis et al. [35], Odoom and Kosiba [36] and other fields. Then, our previous research tested Combined UTAUT-IRT intending to use a digital fishery platform [37, 38]. As far as searching the database of reputable journal publishers has not found research on the intention to accept ADAS, either using the UTAUT model or the PMT-UTAUT combination.



Figure 1. Conceptual framework

Compared to the results of previous studies, this research has its characteristics because the context studied has never been investigated or researched in previous studies. Previous research in various countries has tested the Protection Motivation Theory (PMT) in the context of tobacco acceptance and protecting information security, but what has yet to be done is in the context of ADAS acceptance. Even though Jun et al. [15] wrote about the PMT-UTAUT2 hypotheses regarding the acceptance of ADAS, this publication is only in the form of a literature treatise, not the results of field research. Previous research in various countries has tested UTAUT in the context of acceptance of e-computerassisted audit techniques and tools (CAATTs), online tax filing, e-learning, mobile libraries, e-government services, mhealth services, and digital payments, but what has not been done is in the context of ADAS acceptance. Therefore, it's not just testing related to ADAS acceptance that has never been tested using PMT and UTAUT or other theories; more specifically, the novelty of this research will test the combination of C-PMT-UTAUT.

Then the hypotheses of this research are:

H1. The perceived vulnerability will influence attitude to ADAS.

H2. The perceived severity will influence attitude toward ADAS.

H3. The performance expectancy will influence attitude toward ADAS.

H4. The effort expectancy will influence attitude toward ADAS.

H5. The attitude will influence Behaviour Intention to use ADAS.

3. RESEARCH METHODOLOGY

The research method, which includes research stages, research locations, observed/measured variables, models used, research design, as well as data collection and analysis techniques, can be described as explained below:

3.1. Research process



Figure 2. Research process

3.2. Research location

The research locations are Jakarta and Tangerang. The basis for choosing Jakarta as the research location was because Jakarta is a city where four-wheeled traffic flows from supporting cities. Tangerang was selected as the following research location because automotive users in Tangerang City, South Tangerang City, and Tangerang Regency are buffer cities contributing significantly to traffic jams in DKI Jakarta.

3.3. Population and sample

The population is all car owners who drive their cars (owner drivers) in Jakarta, Tangerang City, South Tangerang City, and Tangerang Regency. Samples will be taken from the population.

3.4. Data collection technique

Because the exact number of owner drivers is unknown, the sampling technique used is convenience or non-probability. The sample size for non-probability sampling Hair et al. [39] suggests multiplying the number of indicators multiplied by 5 to 10. The number of indicators in this study is 22 items; if multiplied by ten, the total sample is 220, which meets the minimum sample size.

3.5. Measurement instrument

The measurement instrument for the severity variable adopts four items developed by Johnston and Warkentin [40] in the study of Jun et al. [15]. Likewise, the measurement instrument for the vulnerability variable also adopts the four items developed by Johnston and Warkentin [40] in the study of Jun et al. [15]. Meanwhile, the research instrument for the variable Performance expectancy, Effort expectancy, was adapted from a questionnaire developed by Venkatesh et al. [19].

3.6. Data analysis method

This study will use the PLS-SEM analysis technique with the help of SmartPLS version 3.0 software. SEM-PLS data analysis will include outer model evaluation measurements to test reliability and validity and structural models or inner model evaluations to statistical T-tests or hypothesis tests [41]. Finally, the test results will be analyzed in depth to find the research results.

The analysis technique of this study uses PLS-SEM because PLS-SEM allows for estimating models with many constructs and items, even when the sample size is limited (see [42]). Hair et al. [42] said that unlike traditional approaches, PLS-SEM calculates the relationships between measurement and structural models separately, enabling application in situations where nonnormal data is prevalent. While this is a notable advantage for social science studies that often encounter nonnormal data, it alone does not justify its use sufficiently.

In a structural equation model with latent constructs, there are two components. The first component is the structural model, which shows the relationships between the latent constructs and only allows for recursive relationships. If the T-Statistic value>1.96 and the P-value<0.05, then the hypothesis is proven significant [43].

The second component is the measurement models, which include the relationships between each latent construct and its observed indicators. PLS-SEM permits only unidirectional relationships, with each indicator associated with a single latent construct. The outer model includes indicator reliability (outer loading>0.70), convergent validity (AVE>0.50),

Composite Reliability (>0.70), and discriminant validity using the Fornell-Larcker Criterion test [43].

4. RESULT AND DISCUSSION

The research results, which are the results of statistical processing of the data collected from the field, are presented in two presentations of the test results, namely the results of the outer model test and the results of the inner model test from the Structural Equation Model-Partial Least Square (SEM-PLS) analysis.

4.1. Outer model evaluation

The results of the outer model test show that all items or indicators of each research variable have outer loadings or factor loadings>0.70 (comp. [44]), as shown in Table 1. All indicators of each research variable are proven valid or meet indicator reliability.

Table 1. Fact	tor Loading
---------------	-------------

Perceived V	ulnerability
VN1	0.803
VN2	0.845
VN3	0.866
Perceived	l Severity
SV1	0.756
SV2	0.852
SV3	0.724
Performance	Expectancy
PE1	0.906
PE2	0.917
PE3	0.931
PE4	0.899
Effort Ex	pectancy
EE1	0.833
EE2	0.898
EE3	0.891
EE4	0.884
Attit	tude
ATT1	0.932
ATT2	0.948
ATT3	0.936
ATT4	0.939
ATT5	0.923
Behaviour	Intention
BI1	0.922
BI2	0.921
BI3	0.930

Table 2. Construct reliability and validity

	Cronbach's Alpha	Composite Reliability	Average Variance Extracted (AVE)
Attitude	0.964	0.972	0.875
Behaviour Intention	0.915	0.947	0.855
Effort Expectancy	0.900	0.930	0.769
Perceived Severity	0.700	0.822	0.607
Perceived Vulnerability	0.791	0.876	0.703
Performance Expectancy	0.934	0.953	0.834

Table 3. Discriminant validity-ornell-larcker criterion

	AT	BI	EE	PE	PU	PE
AT	0.936					
BI	0.770	0.925				
EE	0.628	0.615	0.877			
PE	0.444	0.392	0.292	0.779		
PV	0.175	0.172	0.227	0.304	0.838	
PE	0.820	0.701	0.635	0.535	0.289	0.913

AT: Attitude; BI: Behaviour Intention; EE: Effort Expectancy; PE: Perceived Severity; PV: Perceived Vulnerability; PE: Performance Expectancy

Table 4. Path coefficients

	Hipotesis	Original Sample (O)	T Statistics (O/STDEV)	P Values
H1	Perceived Vulnerability ->Attitude	-0.083	2.190	0.029
H2	Perceived Severity ->Attitude	0.037	0.867	0.386
H3	Performance Expectancy ->Attitude	0.704	12.243	0.000
H4	Effort Expectancy ->Attitude	0.189	3.523	0.000
H5	Attitude ->Behaviour Intention	0.770	19.726	0.000

The results of the outer model test also prove that each variable is valid, as evidenced by all Average Variance Extracted (AVE) values for each variable>0.50 (comp. [45]), as shown in Table 2. In addition to each variable being proven valid, each variable in this study is also proven to be reliable, as demonstrated by the results of Composite Reliability values and Cronbach's Alpha values>0.70 (comp. [46]), as shown in Table 2.

The results of the Fornell-Larcker Criterion test show that the value of each variable is greater than the correlation value with other variables, as shown in Table 3. So each variable is proven valid or fulfills discriminant validity.

4.2. Inner model evaluation

The results of the inner model test prove that only one hypothesis is not proven, namely H2, because perceived severity does not affect the positive attitude of automatic users towards the Advanced Driver Assistance System (ADAS). After all, the T-Statistic value is 0.867<1.96, and the P-value is 0.386>0.05 (see Table 4). Therefore, apart from H2, all hypotheses are proven.

The non-significant effect of perceived severity on attitude toward ADAS suggests the presence of other underlying factors that may have influenced individuals' attitudes in this context. While previous research has indicated a positive association between perceived severity and attitudes toward safety-related technologies [6], our findings deviate from this trend. But previous study by Sabzmakan [7], as well as Menard et al. [8] and Lee et al. [10] find that the severity was not significant factor of PMT. One possible explanation for this non-significant effect could be the participants' preexisting attitudes and beliefs about ADAS. It is plausible that individuals already held well-established attitudes toward ADAS, rendering the impact of perceived severity less influential in shaping their overall attitude. Furthermore, the non-significant effect of perceived severity on attitude toward ADAS suggests considering alternative variables that might mediate or moderate this relationship. For instance, individual differences in risk perception or prior exposure to ADAS technologies could influence the extent to which perceived severity impacts attitude formation. Investigating these potential mediators and moderators could provide valuable insights into the complexities of the perceived severity-attitude relationship.

The implications of this non-significant effect extend beyond theoretical contributions. From a practical standpoint, understanding the factors that shape individuals' attitudes toward ADAS is crucial for effectively implementing and accepting these systems. Therefore, acknowledging the absence of a direct effect of perceived severity on attitude highlights the importance of considering other influential factors in developing persuasive communication strategies or interventions to promote positive attitudes toward ADAS. Therefore, the unsupported hypothesis H2 regarding the effect of perceived severity on attitude toward ADAS necessitates further elaboration and exploration. The potential explanations discussed above offer directions for future research in order to uncover the underlying factors and mechanisms that shape attitudes toward ADAS. This enhanced understanding will aid in developing effective strategies for promoting the acceptance and adoption of ADAS technologies in the context of road safety.

Table 4 shows that the T-statistic value of H1 is 2.190>1.96, and the P-value is 0.029<0.05, so it can be stated that perceived vulnerability has a positive and significant effect on the positive attitude of automotive users towards ADAS. Furthermore, the effect of performance expectancy on the positive attitude of automotive users towards ADAS is also proven to be positive and significant, as indicated by the Tstatistic value of 12.243>1.96 and the P-value of 0.000<0.05, and thus H3 is confirmed. Furthermore, the effect of effort expectancy on the positive attitude of automotive users towards ADAS has also proven positive and significant, as evidenced by the T-statistic value of 3.523>1.96 and the Pvalue of 0.000<0.05, so H4 is also confirmed. Furthermore, the effect of attitudes on the intention of automotive users to use ADAS also proved positive and significant, as indicated by the T-statistic value of 19,726>1.96 and the P-value of 0.000<0.05. Thus, H5 was confirmed.

Tabel 5. Specific indirect effects

	Original Sample (O)	T Statistics (O/STDEV)	P Values
Effort Expectancy	0.146	2 200	0.001
->Attitude ->Bellaviour	0.140	5.399	0.001
Perceived Severity			
->Attitude ->Behaviour	0.029	0.868	0.385
Perceived Vulnerability			
->Attitude ->Behaviour	-0.064	2.208	0.027
Intention			
Performance Expectancy			
->Attitude ->Behaviour	0.542	9.547	0.000
Intention			

Table 5 shows that attitude is proven to mediate the effect of effort expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 3.399 > 1.96 and a P-value of 0.001 < 0.05. Likewise, attitude is proven to mediate the effect of perceived vulnerability on the intention of automotive users to use ADAS, as indicated by the T-

statistic value of 2.208>1.96 and P-value of 0.027<0.05. Then, attitude is also proven to mediate the effect of performance expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 9.547>1.96 and a P-value of 0.000<0.05.

The results of this study indicate that the higher the vulnerability to the risk of traffic accidents, the more positive the attitude of car users towards the use of the ADAS driver assistance system. The finding confirms the result study of Yıldırım et al. [47], González-Castro et al. [48], and De Coninck et al. [49]. As we understand it, ADAS is a technology designed to help drivers reduce the risk of traffic accidents through warning and action when a potentially hazardous situation is detected. Self-perceived vulnerability is a concept that has been studied extensively in health psychology and health-related human behavior. This concept refers to a person's awareness of their health risks and ability to avoid or reduce them. In the context of a traffic accident, a person with a high perceived vulnerability is more aware of the potential risks of an accident and more open to using ADAS technology that can help reduce that risk. This study found that the vulnerability factor had a positive and significant effect on the attitude of drivers toward ADAS. This shows that the higher the perceived vulnerability, the more positive drivers' attitudes toward using ADAS technology to reduce the risk of traffic accidents.

The second discussion of this study found that the performance expectations of the Advanced Driving Assistance System (ADAS) technology could have been more optimal to affect the positive attitude of drivers toward driver assistance systems. In this context, performance expectation refers to the user's belief in the ability of ADAS technology to improve vehicle performance and driving safety. This study confirms the results of study by Siswanto et al. [50], Shara and Widodo [51], and Razzak and Jassem [52]. The higher the performance expectations of users in this study, the more positive the attitude of drivers toward driver assistance systems.

This can be explained by the user's belief that ADAS technology can increase vehicle efficiency and improve driving safety. In this case, car users who have more confidence in the ability of ADAS technology to improve vehicle efficiency and driving safety tend to be more optimistic about this technology. This study also shows that drivers' education level and age influence performance expectations and attitudes toward the ADAS system. Younger and more educated drivers tend to have higher performance expectations and positive attitudes toward the ADAS system.

The third discussion in this study shows that the user's effort expectancy for the ease of use of ADAS technology affects the positive attitude of automotive users towards ADAS. This study confirms the results study by Siswanto et al. [50], Shara and Widodo [51], and Razzak and Jassem [52]. In this context, effort expectancy refers to the user's belief about the ease of use of ADAS technology and the user's readiness to deal with changes in driving behavior. In this study, the higher the user's perceived level of effort expectancy, the more positive the attitude of automotive users toward ADAS. This can be explained by the user's belief that ADAS technology is easy to use and does not require the user to make significant changes in driving behavior. In this case, automotive users who feel more comfortable with ADAS technology and believe it is easy to use tend to have a more positive attitude.

The results showed that effort expectancy or user expectations for the ease of use of ADAS technology affect the

attitude of automotive users towards ADAS. In this case, the attitude in question is an attitude that includes the user's trust, assessment, and evaluation of ADAS technology. This research shows that the higher the level of effort expectancy felt by the user, the more positive the attitude of automotive users toward ADAS. This can be explained by users' belief that ADAS technology is easy to use and does not require significant changes in driving behavior.

In this context, effort expectancy mediates between other factors, such as performance expectancy and user attitude towards ADAS. In other words, the higher the user's perceived level of effort expectancy, the stronger the relationship between performance expectancy and the user's attitude toward ADAS.

The fifth discussion in this study is that the positive attitude of automotive users towards ADAS has a positive and significant effect on their intention to use the technology. This means that the more positive the user's attitude towards ADAS, the more likely they are to use the technology in driving. This finding confirms the result of study by Hussein and Wahid [53], Hussein [54], Sari et al. [55], Pertami and Sukaatmadja [56], and Sari [57].

The results of this study, taken as a whole, may have important implications for automakers and policymakers in designing more effective marketing campaigns and product development strategies. In this regard, manufacturers must consider factors such as performance expectations and demographics when designing more effective marketing campaigns and product development strategies. On the other hand, policymakers can use the results of this research to increase public awareness of the benefits of ADAS technology and encourage the use of this technology as part of efforts to improve driving safety

5. CONCLUSIONS

Based on the research results, it can be concluded that, except for Hypothesis 2, all hypotheses are proven. The perceived vulnerability variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Likewise, the performance expectancy variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its Pvalue is lower than 0.05. The effort expectancy variable has also been shown to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Finally, the attitude of automotive users toward ADAS has a positive and significant effect on their intention to use ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. So only the variable perceived Severity is not proven to have a positive and significant effect on the attitude of automotive users towards ADAS.

The study's findings have significant practical implications for policymakers, car manufacturers, and technology developers involved in Advanced Driver Assistance Systems (ADAS). Policymakers can raise awareness and educate the public about ADAS benefits while incentivizing adoption through tax benefits and reduced insurance premiums. Car manufacturers can enhance perceived vulnerability by emphasizing risks associated with traditional driving methods, improve performance expectancy through continuous research and development, and ensure user-friendly experiences to increase positive attitudes towards ADAS. Technology developers should prioritize usability by designing usercentered ADAS and address concerns about severity to influence attitudes towards ADAS positively. These implications aim to create an environment conducive to ADAS adoption, enhancing road safety and reducing accidents.

The theoretical benefit of this research is the creation of a C-PMT-UTAUT conceptual model, which future researchers can then test. In addition, the results of this market research can also serve as a basis for future Applied Research and Development Research.

Further research in the ADAS context should investigate the relationship between perceived severity and attitudes towards ADAS, considering potential mediators or moderators such as risk perception and personal accident experiences. Longitudinal studies are needed to assess the stability of attitudes and intentions towards ADAS over time and their impact on adoption and sustained usage. Additionally, research should focus on user experience and usability aspects of ADAS to identify areas for improvement, considering users' perceptions, challenges, and preferences related to the interface, system feedback, and adaptability in various driving conditions. Exploring the influence of cultural and contextual factors on attitudes towards ADAS is crucial for tailoring strategies globally by examining the interaction of cultural norms, driving habits, and regulatory frameworks with attitudes and acceptance of ADAS. Addressing these areas will provide a deeper understanding and inform targeted strategies for promoting ADAS adoption and usage.

The study has several limitations. Firstly, it has a limited geographical scope, focusing only on Jakarta and Tangerang, which may limit the generalizability of the findings to other locations. Secondly, convenience sampling was used, introducing potential bias and limiting the sample's representativeness. Nonresponse bias and the absence of qualitative data further affect the generalizability and depth of understanding. Furthermore, the findings may not apply to other contexts due to specific factors. Lastly, the study needs formation on the timeframe of data collection and the stability of relationships over time, potentially impacting the dynamic nature of attitudes and intentions towards ADAS.

Future research can address the study's limitations by expanding the geographical scope to include a broader range of cities or regions, allowing for a more comprehensive understanding of attitudes and intentions toward ADAS. Implementing diverse sampling techniques, such as random or stratified sampling, can enhance the sample's representativeness and improve the findings' validity and reliability. Future studies should provide information on response rates and incorporate qualitative data through interviews, focus groups, or observational studies to mitigate nonresponse bias, providing richer insights into car owners' experiences and perspectives. Considering contextual factors, such as cultural norms and technological advancements, can enhance the applicability of the findings to different contexts. Employing longitudinal designs and assessing stability over time will capture the dynamic nature of attitudes and intentions towards ADAS, identifying trends and factors influencing relationships. Transparent reporting of the data collection timeframe will facilitate comparisons across studies, contributing to a comprehensive understanding applicable across diverse locations and contexts.

ACKNOWLEDGMENT

This paper is the output of research results funded by winning Higher Education Excellence Basic Research from the Center for Research and Community Service, Pembangunan Jaya University, with Research Contract Number: 005/PER-P2M/UPJ/11.22.

REFERENCES

- Ahdira, A. (2020). 5 provinsi dengan jumlah kecelakaan terbanyak di Indonesia, korban jiwa capai 295 orang. Pikiran Rakyat.
- [2] Kominfo, (2017). Rata-rata tiga orang meninggal setiap jam akibat kecelakaan Jalan. Kominfo.go.id.
- [3] Masello, L., Castignani, G., Sheehan, B., Murphy, F., McDonnell, K. (2022). On the road safety benefits of advanced driver assistance systems in different driving contexts. Transportation Research Interdisciplinary Perspectives, 15: 100670. https://doi.org/10.1016/j.trip.2022.100670
- [4] Akyüz, E. (2015). The solutions to traffic congestion in Istanbul. The Journal of Academic Social Sciences, 3(16): 442-449. https://doi.org/10.16992/ASOS.792
- [5] Tengilimoglu, O., Carsten, O., Wadud, Z. (2023). Implications of automated vehicles for physical road environment: a comprehensive review. Transportation Research Part E: Logistics and Transportation Review, 169: 102989. https://doi.org/10.1016/j.tre.2022.102989
- [6] Ibrahim, H., Al-Ajlouni, M.M.Q. (2018). Sustainable consumption: Insights from the protection motivation (PMT), deontic justice (DJT) and construal level (CLT) theories. Management Decision, 56(3): 610-633. https://doi.org/10.1108/MD-05-2016-0323
- Sabzmakan, L., Ghasemi, M., Asghari Jafarabadi, M., Kamalikhah, T., Chaleshgar Kordasiabi, M. (2018). Factors associated with tobacco use among Iranian adolescents: an application of protection motivation theory. Substance Use & Misuse, 53(9): 1511-1518. https://doi.org/10.1080/10826084.2017.1415356
- [8] Menard, P., Bott, G.J., Crossler, R.E. (2017). User motivations in protecting information security: Protection motivation theory versus self-determination theory. Journal of Management Information Systems, 34(4): 1203-1230. https://doi.org/10.1080/07421222.2017.1394083
- [9] Kothe, E.J., Ling, M., North, M., Klas, A., Mullan, B.A., Novoradovskaya, L. (2019). Protection motivation theory and pro-environmental behaviour: a systematic mapping review. Australian Journal of Psychology, 71(4): 411-432. https://doi.org/10.1111/ajpy.12271
- [10] Lee, J.H., Mustapha, A., Hwang, J. (2019). Enhancing ethnic restaurant visits and reducing risk perception: the effect of information and protection motivation. Journal of Hospitality and Tourism Insights, 2(4): 341-357. https://doi.org/10.1108/JHTI-10-2018-0068
- [11] Fischer-Preßler, D., Bonaretti, D., Fischbach, K. (2022). A protection-motivation perspective to explain intention to use and continue to use mobile warning systems. Business & Information Systems Engineering, 64(2): 167-182. https://doi.org/10.1007/s12599-021-00704-0
- [12] Tarhini, A., El-Masri, M., Ali, M., Serrano, A. (2016). Extending the UTAUT model to understand the

customers' acceptance and use of internet banking in Lebanon: a structural equation modeling approach. Information Technology & People, 29(4): 830-849. https://doi.org/10.1108/ITP-02-2014-0034

- [13] Lwoga, E.T., Komba, M. (2015). Antecedents of continued usage intentions of web-based learning management system in Tanzania. Education+Training, 57(7): 738-756. https://doi.org/10.1108/ET-02-2014-0014
- [14] Alam, M.Z., Hu, W., Hoque, M.R., Kaium, M.A. (2020). Adoption intention and usage behavior of mHealth services in Bangladesh and China: a cross-country analysis. International Journal of Pharmaceutical and Healthcare Marketing, 14(1): 37-60. https://doi.org/10.1108/IJPHM-03-2019-0023
- [15] Jun, J., Park, H., Cho, I. (2019). Study on initial adoption of advanced driver assistance system: integrated model of PMT and UTAUT 2. Total Quality Management & Business Excellence, 30(sup1): S83-S97. https://doi.org/10.1080/14783363.2019.1665820
- [16] Wuling, (2021). Teknologi advanced driver assistance system (adas) untuk keamanan berkendara. Auto Tips.
- [17] Rogers, R.W. (1975). A protection motivation theory of fear appeals and attitude change 1. The Journal of Psychology, 91(1): 93-114. https://doi.org/10.1080/00223980.1975.9915803
- [18] Gao, Y.W., Li, H., Luo, Y. (2015). An empirical study of wearable technology acceptance in healthcare. Industrial Management & Data Systems, 115(9): 1704-1723. https://doi.org/10.1108/IMDS-03-2015-0087
- [19] Venkatesh, V., Morris, M.G., Davis, G.B., Davis, F.D. (2003). User acceptance of information technology: Toward a unified view. MIS Quarterly, 27(3): 425-478. https://doi.org/10.2307/30036540
- [20] Venkatesh, V., Thong, J.Y.L., Xu, X. (2012). Consumer acceptance and use of information technology: extending the unified theory of acceptance and use of technology. MIS Quarterly, 36(1): 157-178. https://doi.org/10.2307/41410412
- [21] Mahzan, N., Lymer, A. (2014). Examining the adoption of computer-assisted audit tools and techniques: Cases of generalized audit software use by internal auditors. Managerial Auditing Journal, 29(4): 327-349. https://doi.org/10.1108/MAJ-05-2013-0877
- [22] Carter, L., Christian Shaupp, L., Hobbs, J., Campbell, R.
 (2011). The role of security and trust in the adoption of online tax filing. Transforming Government: People, Process and Policy, 5(4): 303-318. http://doi.org/10.1108/17506161111173568
- [23] Arif, M., Ameen, K., Rafiq, M. (2018). Factors affecting student use of web-based services: application of utaut in the Pakistani context. The Electronic Library, 36(3): 518-534. https://doi.org/10.1108/EL-06-2016-0129
- [24] Thongsri, N., Shen, L., Bao, Y.K., Alharbi, I.M. (2018). Integrating UTAUT and UGT to explain behavioural intention to use m-learning: a developing country's perspective. Journal of Systems and Information Technology, 20(3): 278-297. https://doi.org/10.1108/JSIT-11-2017-0107
- [25] Gunasinghe, A., Hamid, J.A., Khatibi, A., Azam, S.F. (2020). The adequacy of UTAUT-3 in interpreting academician's adoption to e-Learning in higher education environments. Interactive Technology and Smart Education, 17(1): 86-106.

https://doi.org/10.1108/ITSE-05-2019-0020

- [26] Buabeng-Andoh, C., Baah, C. (2020). Pre-service teachers' intention to use learning management system: an integration of UTAUT and TAM. Interactive Technology and Smart Education, 17(4): 455-474. https://doi.org/10.1108/ITSE-02-2020-0028
- [27] Chang, C.C. (2013). Library mobile applications in university libraries. Library Hi Tech, 31(3): 478-492. https://doi.org/10.1108/LHT-03-2013-0024
- [28] Wu, C.G., Wu, P.Y. (2019). Investigating user continuance intention toward library self-service technology: the case of self-issue and return systems in the public context. Library Hi Tech, 37(3): 401-417. https://doi.org/10.1108/LHT-02-2018-0025
- [29] Al Mansoori, K.A., Sarabdeen, J., Tchantchane, A.L. (2018). Investigating emirati citizens' adoption of egovernment services in abu dhabi using modified UTAUT model. Information Technology & People, 31(2): 455-481. https://doi.org/10.1108/ITP-12-2016-0290
- [30] Kuciapski, M. (2017). A model of mobile technologies acceptance for knowledge transfer by employees. Journal of Knowledge Management, 21(5): 1053-1076. https://doi.org/10.1108/JKM-03-2016-0136
- [31] Sivathanu, B. (2019). Adoption of digital payment systems in the era of demonetization in India: an empirical study. Journal of Science and Technology Policy Management, 10(1): 143-171. https://doi.org/10.1108/JSTPM-07-2017-0033
- [32] Sobti, N. (2019). Impact of demonetization on diffusion of mobile payment service in India: antecedents of behavioral intention and adoption using extended utaut model. Journal of Advances in Management Research, 16(4): 472-497. https://doi.org/10.1108/JAMR-09-2018-0086
- [33] Gupta, K.P., Manrai, R., Goel, U. (2019). Factors influencing adoption of payments banks by Indian customers: extending UTAUT with perceived credibility. Journal of Asia Business Studies, 13(2): 173-195. https://doi.org/10.1108/JABS-07-2017-0111
- [34] Rahi, S., Mansour, M.M.O., Alghizzawi, M., Alnaser, F.M. (2019). Integration of UTAUT model in internet banking adoption context: the mediating role of performance expectancy and effort expectancy. Journal of Research in Interactive Marketing, 13(3): 411-435. https://doi.org/10.1108/JRIM-02-2018-0032
- [35] Giovanis, A., Assimakopoulos, C., Sarmaniotis, C. (2019). Adoption of mobile self-service retail banking technologies: the role of technology, social, channel and personal factors. International Journal of Retail & Distribution Management, 47(9): 894-914. https://doi.org/10.1108/IJRDM-05-2018-0089
- [36] Odoom, R., Kosiba, J.P. (2020). Mobile money usage and continuance intention among micro enterprises in an emerging market-the mediating role of agent credibility. Journal of Systems and Information Technology, 22(1): 97-117. https://doi.org/10.1108/JSIT-03-2019-0062
- [37] Purwanto, E., Sjarief, R., Anwar, C. (2021). The effect of the innovation resistance factors on the digital fishery platform acceptance in developing country. Review of International Geographical Education, 11(5): 507-518. https://doi.org/10.48047/rigeo.11/5/53
- [38] Purwanto, E., Sjarief, R., Anwar, C. (2021). Driving and restricting factors of the behavior intention of the digital

fishery platform adoption in new normal: combine utautirt model. Review of International Geographical Education Online, 11(8): 1089-1103. https://doi.org/10.48047/rigeo.11.08.93

- [39] Hair, J.F., Black, W.C., Babin, B.J., Anderson, R.E. (2010). Multivariate data analysis, 7th ed. New Jersey: Pearson Education.
- [40] Johnston, A.C., Warkentin, M. (2010). Fear appeals and information security behaviors: an empirical study. MIS Quarterly, 34(3): 549-566. https://doi.org/10.2307/25750691
- [41] Hair, J.F., Ringle, C.M., Sarstedt, M. (2011). PLS-SEM: Indeed a silver bullet. Journal of Marketing Theory and Practice, 19(2): 139-152. https://doi.org/10.2753/MTP1069-6679190202
- [42] Hair, J.F., Risher, J.J., Sarstedt, M., Ringle, C.M. (2019).
 When to use and how to report the results of PLS-SEM. European Business Review, 31(1): 2-24. https://doi.org/10.1108/EBR-11-2018-0203
- [43] Hair, J.F., Ringle, C.M., Sarstedt, M. (2011). PLS-SEM: Indeed a silver bullet. Journal of Marketing Theory and Practice, 19(2): 139-152. https://doi.org/10.2753/MTP1069-6679190202
- [44] Tjiu, M., Purwanto, E. (2017). Guanxi and the leadermember exchange in the Chinese supervisor and subordinate relationship. Journal of Applied Economic Sciences, 8(54): 2218-2232.
- [45] Purwanto, E., Purwanto, A.D.B. (2020). An investigative study on sustainable competitive advantage of manufacture companies in Indonesia. Business: Theory and Practice, 21(2): 633-642. https://doi.org/10.3846/btp.2020.12256
- [46] Purwanto, E., Utama, C., Wijaya, B. (2018). The effects of shock advertising on purchase intentions and behavior of cigarettes in collectivistic culture. Journal of Advanced Research in Law and Economics, 9(2): 625-638. https://doi.org/10.14505/jarle.v92(32).26
- [47] Yıldırım, M., Geçer, E., Akgül, Ö. (2021). The impacts of vulnerability, perceived risk, and fear on preventive behaviours against COVID-19. Psychology, Health & Medicine, 26(1): 35-43. https://doi.org/10.1080/13548506.2020.1776891
- [48] González-Castro, J.L., Ubillos-Landa, S., Puente-Martínez, A., Gracia-Leiva, M. (2021). Perceived vulnerability and severity predict adherence to COVID-19 protection measures: the mediating role of instrumental coping. Frontiers in Psychology, 12: 674032. https://doi.org/10.3389/fpsyg.2021.674032

- [49] De Coninck, D., d'Haenens, L., Matthijs, K. (2020). Perceived vulnerability to disease and attitudes towards public health measures: COVID-19 in Flanders, Belgium. Personality and Individual Differences, 166: 110220. https://doi.org/10.1016/j.paid.2020.110220
- [50] Siswanto, T., Shofiati, R., Hartini, H. (2018). Acceptance and utilization of technology (UTAUT) as a method of technology acceptance model of mitigation disaster website. In IOP Conference Series: Earth and Environmental Science, IOP Publishing, 106(1): 012011. https://doi.org/10.1088/1755-1315/106/1/012011
- [51] Shara, P.V., Widodo, T. (2018). Penerapan model unified theory of acceptance and use of technology (UTAUT) untuk menganalisis minat pengguna smartphone di Kota Bandung. Sosiohumanitas, 20(1). https://doi.org/10.36555/sosiohumanitas.v20i1.49
- [52] Razzak, M.R., Jassem, S. (2021). Mobile-assisted language learning for EFL: a conceptual framework based on the meta-utaut model. Asia-Pacific Journal of Educational Management Research, 6(2): 15-32. https://doi.org/10.21742/AJEMR.2021.6.2.02
- [53] Hussein, Z., Wahid, N.A. (2018). The effects of user's attitude on the intention to purchase and to revisit in game advertising. Asian Journal of Behavioural Studies, 3(13): 161-168. https://doi.org/10.21834/ajbes.v3i13.153
- [54] Hussein, Z. (2017). Leading to intention: the role of attitude in relation to technology acceptance model in elearning. Procedia Computer Science, 105: 159-164. https://doi.org/10.1016/j.procs.2017.01.196
- [55] Sari, R.L., Habibi, A.B., Hayuningputri, E.P. (2022). Impact of attitude, perceived ease of use, convenience, and social benefit on intention to use mobile payment. Asia Pacific Management and Business Application (APMBA), 11(2): 143-156. https://doi.org/10.21776/ub.apmba.2022.011.02.2
- [56] Pertami, N.P.A., Sukaatmadja, P.G. (2021). The role of user's attitude mediating the effect of perceived ease of use and social influence towards the continuance usage intention of TikTok. SSRG International Journal of Economics and Management Studies, 8(1): 98-104. https://doi.org/10.14445/23939125/IJEMS-V8I1P110
- [57] Sari, N.N. (2022). The use of technology acceptance model to explain brand attitude and loyalty intention in e-commerce: the gamification case. ASEAN Marketing Journal, 14(1): 5.
 https://doi.org/10.21002/ami.y14(111151)

https://doi.org/10.21002/amj.v14i1.1151

Re: Final proof of your manuscript accepted by JESA (Edi)

Edi Purwanto <Edi.purwanto@upj.ac.id> Fri 28/07/2023 22:57 To:editor.jesa iieta.org <editor.jesa@iieta.org>

2 attachments (2 MB) Article JESA-After Proof.docx; IIETA CTA.pdf;

Dear Editor

Thank you for the "Final Proof". I have read it carefully and my response as the following.

1. If some corrections in Final Proof are made, highlight them in the Word file;

Answer: Done

2. Check with care all the symbols in the text;

Answer:

Done

3. Please have full name of all authors and highlight the family names as it is requested to put family names after forenames;

Answer:

Edi Purwanto^{1*}, Dede Suleman¹, Rachman Sjarief¹, Dewi Sri², Muhammad Daffa Juliansyah², Muhammad Iqbal Revilliano Trisandri²

4. Please provide the ORCID of all authors (If some of the authors have not ORCID, those who have shall provide us with it)

Answer:

Edi Purwanto: <u>https://orcid.org/0000-0002-7143-4469</u> Dede Suleman: <u>https://orcid.org/0000-0001-9232-3592</u> Rachman Sjarief: <u>https://orcid.org/0000-0001-8461-5018</u> Dewi Sri: <u>https://orcid.org/0009-0002-7123-9556</u> Muhammad Daffa Juliansyah: <u>https://orcid.org/0009-0004-2411-128X</u> Muhammad Iqbal Revilliano Trisandri: <u>https://orcid.org/0009-0000-7164-7440</u>

5. Address 1-2 should include 5 elements: department, university, city, postal code and country;

Answer: Done

6. Citation 15 in introduction should be mentioned after citation 14.

Answer: Already revised. Citation 15 is Citation 12. Please check the revision of the paper 7. Figure 1 and 2 should be mentioned in the text in sequence;

Answer: I mention the Figure 1 and 2. Please check it.

8. Reference 1, 2, 16 in the reference list can't be searched online and please change them and have right doi links added to them and please make sure all the relative citations in the text should also be updated;

Answer: I added the link to the sources web.

9. Reference 41, 43 in the reference list are the same and please change either of them and please make sure all the relative citations in the text should also be updated.

Answer: I revise them. Please check again.

10. Please fill in "**Copyright Transfer Agreement**". Please note that "corresponding author's signature" in the agreement shall be manually signed.

Answer:

I send the "Copyright Transfer Agreement" at the attached file please. Thank you.

Best regards

Edi Purwanto

Dr. Edi Purwanto, S.E., M.M., M.Mis., M.M.T., M.H.

Kepala Lembaga Penelitian dan Pengabdian kepada Masyarakat (LP2M)



Integrity, Professionalism and Entrepreneurship Jl. Cendrawasih, Kel sawah Baru, Kec Ciputat Tangerang Selatan 15413 Telephone : (021) 7455555 ext (454) website : p2m.upj.ac.id Scopus: https://www.scopus.com/authid/detail.uri?authorId=56530837400 GoogleScholar: https://scholar.google.co.id/citations?user=kwzDoVUAAAAJ&hl=en SINTA: https://sinta.kemdikbud.go.id/authors/profile/257818





Traffic Accident Prevention Through Acceptance of Advanced Driver Assistance System (ADAS) Among Urban People

Edi Purwanto^{1*}, Dede Suleman¹, Rachman Sjarief¹, Dewi Sri², Muhammad Daffa Juliansyah², Muhammad Iqbal Revilliano Trisandri²

¹ Department of Management and Jaya Launch Pad, Universitas Pembangunan Jaya, South Tangerang 15413, Indonesia ² Department of Management, Universitas Pembangunan Jaya, South Tangerang 15413, Indonesia

Corresponding Author Email:edi.purwanto@upj.ac.id

https://doi.org/10.18280/jesa.xxxxx	ABSTRACT
Received: Accepted:	Lead Indonesia's accident cases are cau be reduced by implementing an Advan
<i>Keywords:</i> ADAS, Technology acceptance, attitude, UTAUT, PMT	technology. Protection motivation and ac concern for drivers adopting ADAS. Th model of the Combined Protection Mot Acceptance and Use of Technology (C-)

sed mainly by human error. which can ced Driver Assistance System (ADAS) cceptance of technology are generally a erefore, this research aims to build a ivation Theory and Unified Theory of PMT-UTAUT) to determine the factors pgy (that encourage drivers and owner-drivers' interest in using the ADAS. This research method applies quantitative research to a population of automotive users in Jakarta and Tangerang. A survey was conducted with a sample of 220 automotive users in Jakarta and Tangerang. The research results prove that the perceived vulnerability is proven to positively and significantly affect attitudes to ADAS. Likewise, the effect of performance expectancy on attitude toward ADAS is proven to be positive and significant. The effort expectancy also positively and significantly affects the attitude toward ADAS. One factor that has yet to be proven to be a concerned driver is severity because the perceived severity has not been proven to influence attitudes toward ADAS significantly. Then, the attitude positively and significantly affects the intention to use ADAS. The findings of this study have important practical implications for policymakers, car manufacturers, and technology developers working on ADAS. Policymakers can promote awareness, education and implement incentives. Car manufacturers can enhance perceived vulnerability, improve performance expectancy, and simplify the user experience. Technology developers can emphasize usability and address concerns about severity.

1. INTRODUCTION

A release from the National Police regarding the level of traffic accident cases at the end of 2020 shows that the province of DKI Jakarta is ranked fifth with a total of 73 incidents. Compared to DKI Jakarta. Central Java is in first place with 336 cases. East Java is in second place with 332 cases, West Java is in third place with 180 cases, and DI Yogyakarta is in fourth place with 91 cases [1]. Kominfo reports that, on average, three people die every hour due to traffic accidents. According to this news, 61 percent of the causes of traffic accidents are due to the human factor related to the ability and character of the driver, 30 percent due to infrastructure and environmental factors, and only 9 percent due to the vehicle's worthiness factor [2]. So based on this information, 61 percent of traffic accidents are caused by the ability and behavior of the driver. Interestingly, the province of DKI Jakarta does not occupy the first position for the number of traffic accident cases, but instead, it is in the fifth position. The large number of new car users in Jakarta who have used the Advanced Driver Assistance System (ADAS) technology is likely why the rate of accident cases is below Central Java, East Java, West Java, and DI Yogyakarta.

Advanced Driver Assistance Systems (ADAS) technology plays a crucial role in addressing the challenges of road accidents in urban areas [3]. With the rapid growth of population and vehicles in big cities, the risk of accidents and traffic congestion has become a pressing concern [4]. ADAS offers a range of features such as collision warning, lane departure warning, automatic emergency braking, and adaptive cruise control, which can significantly assist drivers in navigating busy city streets and avoiding potential collisions. Using sensor-based technologies, ADAS enhances driver awareness, provides real-time feedback, and enables proactive safety measures. This technology is essential in mitigating human errors, which are often the primary cause of accidents in urban environments. Integrating ADAS into vehicles and promoting its adoption can significantly reduce the number of accidents, improve road safety, and create a safer driving environment for both motorists and pedestrians in large cities [5].

The problem in Indonesia, especially Jakarta and Tangerang cities, is that very few cars are equipped with ADAS, for example, Wuling Almaz, Daihatsu Rocky, Toyota New Raize, and the latest Honda BRV.

Several previous studies tested PMT for the context of acceptance of green products [6], health [7], information security protection [8], protecting environmental sustainability [9], ethnic restaurants [10], mobile emergency warning apps [11], but it is still challenging to find PMT testing to test ADAS acceptance. Therefore, Jun et al. [12] wrote a systematic literature review of PMT and suggested testing this model in the context of ADAS acceptance. Severity and vulnerability are considered essential factors in preventing road accidents. Therefore this study includes the PMT factors to test attitudes and intentions to use ADAS.

The UTAUT model is a model commonly used to test technology acceptance. Because ADAS is a form of innovation or technology, the UTAUT factors are essential for testing ADAS acceptance. However, comparing previous studies on testing ADAS acceptance using the UTAUT model is still challenging. Most of the technology adoption tested with UTAUT was primarily, for example, acceptance of Mbanking [13], e-learning [14], m-health service [15], and other fields. However, the model's UTAUT factors are essential for testing ADAS acceptability; therefore, this study includes UTAUT factors. Because the PMT and UTAUT factors are crucial factors that can influence users to adopt ADAS, this research combines the PMT and UTAUT models to become Combined PMT-UTAUT.

ADAS refers to a collection of features and technologies designed to assist drivers in enhancing safety, reducing accidents, and improving the overall driving experience. ADAS aims to augment the driver's abilities and mitigate potential risks by providing real-time information, alerts, and automated assistance. ADAS enhances driver awareness by utilizing sensors and cameras to monitor the surroundings, detecting potential hazards, and alerting the driver accordingly. It includes features such as forward collision warning, lane departure warning, and blind-spot detection, which help prevent accidents caused by human errors or inattention. ADAS also improves driver responsiveness through features like adaptive cruise control, which automatically adjusts the vehicle's speed to maintain a safe distance from the vehicle ahead. It reduces the likelihood of rear-end collisions and enhances traffic flow efficiency.

Furthermore, ADAS assists in mitigating the severity of accidents through features like automatic emergency braking and pedestrian detection. Overall, ADAS technology significantly reduces traffic accidents, injuries, and fatalities by providing drivers with advanced warning systems, assistance in critical situations, and increased situational awareness.

The specific objectives of this research are: (1) to create a C-PMT-UTAUT conceptual model and test it, (2) to produce market research that constitutes Basic Research that will become the basis for applied research and development research which is helpful for automotive companies to complement their new products with ADAS, and start-up companies to create Mobile-ADAS technology for cars that are not yet equipped with ADAS.

The urgency of this research is because the facts and data have confirmed that the highest cause of traffic accidents is caused by the human factor (Ahdira, 2020), so the development of ADAS is expected to be able to reduce the rate of traffic accidents due to these human errors. For this reason, it is necessary to research the community's intention to use ADAS and the factors that influence it.

2. LITERATURE REVIEW

The Advanced Driver Assistance System (ADAS) is a set of technology systems that can be used to develop vehicle products that help drivers use their cars safely and automatically. The ADAS concept began to be realized in the 1980s when the European Union initiated DRIVE (Dedicated Road Infrastructure for Vehicle Safety in Europe), a project to reduce the risk of traffic accidents on the road and improve the cognitive abilities of drivers [12]. As a result, the number of cars using ADAS continues to increase, and automation with the ADAS system continues to grow over time [12].

The ADAS system currently embedded in several car products in Indonesia includes: (1) Adaptive Cruise Control (ACC), an automatic system that adjusts speed according to the speed of the car in front of it. (2) Bend Cruise Assistance (BCA), an automatic system that helps reduce speed when the vehicle enters a bend. (3) Traffic Jam Assistance (TJA), an automatic system capable of assisting a safe distance from the vehicle in front of it when there is a traffic jam. (4) Intelligent Cruise Assistance (ICA) and Lane Departure Warning (LDW), which automatically give a warning when the vehicle leaves the safe lane. (5) Lane Keeping Assistance (LKA) automatically corrects the steering direction to return to a safe lane. (6) Safe Distance Warning (SDW) automatically warns that the vehicle in front is too close, and several other ADAS systems. (7) Forward Collision Warning (FCW) is a system that detects potential collisions on the front by giving a warning in the form of a sound or visual display. The brakes will automatically adjust to the level of danger that will occur. (8) Automatic Emergency Braking (AEB), a system that works when the driver does not respond to a collision hazard warning, in which case this system will automatically apply emergency braking. (9) Intelligent Hydraulic Braking Assistance (IHBA), a system that will adjust automatic braking according to the risk of danger. (10) Collision Mitigation System (CMS), a system that will reduce the vehicle's speed to minimize the severity of injury or damage to the car due to a collision. (11) Intelligent Head Beam Assistance (IHMA), a system that will automatically adjust the height of the leading light to adjust the lighting conditions in the surrounding environment [16].

This research examines the factors that influence people's intention to use ADAS as a complement to driving safety. Using the Protection motivation theory (PMT) and the Unified Theory of Acceptance and Use of Technology (UTAUT), apart from finding the driving factors of these intentions, a C-PMT-UTAUT model will also be built.

Protection motivation theory (PMT) was previously mainly applied in the field of health sciences. Rogers (1975) initially put forward this theory to explain changes in individual attitudes and behavior related to health. This theory explains psychological fear and individual responses to health threats. Psychological fear raises the motivation to find protection from threats. This protective motive will affect the individual's actual behavior [12]. Even though initially PMT was a theory used to research protective motivation related to health problems, then Jun et al. [12] wrote a treatise recommending the use of PMT to test people's intentions to use the advanced driver assistance system (ADAS) to protect themselves from the threat of traffic accidents.

As far as searching the literature on reputable international journal databases, previous research related to PMT has not found the use of this theory to test motivation to protect oneself from traffic accidents by utilizing an advanced driver assistance system (ADAS). For example, even though Jun et al. [12] wrote a literature review on the acceptance of ADAS using PMT, empirical field research has vet to be carried out. Other researchers who have used PMT include Gao et al. [18] in the context of healthcare acceptance in China. Likewise, Ibrahim and Al-Ajlouni [6] tested PMT in the context of green products in Saudi Arabia, Sabzmakan et al. [7] in the context of health hazards from tobacco in Iran, Menard et al. [8] in the context of information security protection in the United States, Kothe et al. [9] in the context of protecting environmental sustainability, Lee et al. [10] in the context of ethnic restaurants in South Korea, and Fischer-Preßler et al. [11] in the context of the adoption of mobile emergency warning apps in Germany.

The UTAUT model was developed by Venkatesh et al. in 2003 [19] and the UTAUT2 model was also developed by Venkatesh et al. in 2012 [20]. Many researchers use the UTAUT model to examine factors that influence the intention to use various innovative technologies in various countries, for example, testing the UTAUT model in the context of acceptance of computer-assisted audit techniques and tools (CAATTs) [21], online tax filling [22], e-learning by Lwoga and Komba [14], Arif et al. [23], Thongsri et al. [24], Gunasinghe et al. [25], Buabeng-Andoh and Baah [26], mobile library by Chang [27], Wu and Wu [28], e-government service [29], m-health service [15], acceptance of digital payment platforms by Tarhini et al. [13], Kuciapski [30], Sivathanu [31], Sobti [32], Gupta et al. [33], Rahi et al. [34], Giovanis et al. [35], Odoom and Kosiba [36] and other fields. Then, our previous research tested Combined UTAUT-IRT intending to use a digital fishery platform [37], [38]. As far as searching the database of reputable journal publishers has not found research on the intention to accept ADAS, either using the UTAUT model or the PMT-UTAUT combination (see Figure 1).



Figure 1. Conceptual Framework

Compared to the results of previous studies, this research has its characteristics because the context studied has never been investigated or researched in previous studies. Previous research in various countries has tested the Protection Motivation Theory (PMT) in the context of tobacco acceptance and protecting information security, but what has yet to be done is in the context of ADAS acceptance. Even though Jun et al. [12] wrote about the PMT-UTAUT2 hypotheses regarding the acceptance of ADAS, this publication is only in the form of a literature treatise, not the results of field research. Previous research in various countries has tested UTAUT in the context of acceptance of e-computerassisted audit techniques and tools (CAATTs), online tax filing, e-learning, mobile libraries, e-government services, mhealth services, and digital payments. , but what has not been done is in the context of ADAS acceptance. Therefore, it's not just testing related to ADAS acceptance that has never been tested using PMT and UTAUT or other theories; more specifically, the novelty of this research will test the combination of C-PMT-UTAUT.

Then the hypotheses of this research are:

H1. The perceived vulnerability will influence attitude to ADAS

H2. The perceived severity will influence attitude toward ADAS.

H3. The performance expectancy will influence attitude toward ADAS.

H4. *The effort expectancy will influence attitude toward ADAS.*

H5. The attitude will influence Behaviour Intention to use ADAS

3. RESEARCH METHODOLOGY

The research method, which includes research stages, research locations, observed/measured variables, models used, research design, as well as data collection and analysis techniques, can be described as explained below:

3.1. Research process

Figure 2 is the research process.



Figure 2. Research process

3.2. Research location

The research locations are Jakarta and Tangerang. The basis for choosing Jakarta as the research location was because Jakarta is a city where four-wheeled traffic flows from supporting cities. Tangerang was selected as the following research location because automotive users in Tangerang City, South Tangerang City, and Tangerang Regency are buffer cities contributing significantly to traffic jams in DKI Jakarta.

3.3. Population and sample

The population is all car owners who drive their cars (owner drivers) in Jakarta, Tangerang City, South Tangerang City, and Tangerang Regency. Samples will be taken from the population.

3.4. Data collection technique

Because the exact number of owner drivers is unknown, the sampling technique used is convenience or nonprobability. The sample size for non-probability sampling Hair et al. [39] suggests multiplying the number of indicators multiplied by 5 to 10. The number of indicators in this study is 22 items; if multiplied by ten, the total sample is 220, which meets the minimum sample size.

3.5. Measurement instrument

The measurement instrument for the severity variable adopts four items developed by Johnston and Warkentin [40] in in the study of Jun et al. [12]. Likewise, the measurement instrument for the vulnerability variable also adopts the four items developed by Johnston and Warkentin [40] in in the study of Jun et al. [12]. Meanwhile, the research instrument for the variable Performance expectancy, Effort expectancy, was adapted from a questionnaire developed by Venkatesh [19].

3.6. Data analysis method

This study will use the PLS-SEM analysis technique with the help of SmartPLS version 3.0 software. SEM-PLS data analysis will include outer model evaluation measurements to test reliability and validity and structural models or inner model evaluations to statistical T-tests or hypothesis tests [41]. Finally, the test results will be analyzed in depth to find the research results.

The analysis technique of this study uses PLS-SEM because PLS-SEM allows for estimating models with many constructs and items, even when the sample size is limited (see[42]). Hair et al. [42] said that unlike traditional approaches, PLS-SEM calculates the relationships between measurement and structural models separately, enabling application in situations where nonnormal data is prevalent. While this is a notable advantage for social science studies that often encounter nonnormal data, it alone does not justify its use sufficiently.

In a structural equation model with latent constructs, there are two components. The first component is the structural model, which shows the relationships between the latent constructs and only allows for recursive relationships. If the T-Statistic value > 1.96 and the P-value < 0.05, then the hypothesis is proven significant [43].

The second component is the measurement models, which include the relationships between each latent construct and its observed indicators. PLS-SEM permits only unidirectional relationships, with each indicator associated with a single latent construct. The outer model includes indicator reliability (outer loading > 0.70), convergent validity (AVE > 0.50),

Composite Reliability (> 0.70), and discriminant validity using the Fornell-Larcker Criterion test [43].

4. RESULT AND DISCUSSION

The research results, which are the results of statistical processing of the data collected from the field, are presented in two presentations of the test results, namely the results of the outer model test and the results of the inner model test from the Structural Equation Model - Partial Least Square (SEM-PLS) analysis.

4.1. Outer model evaluation

The results of the outer model test show that all items or indicators of each research variable have outer loadings or factor loadings > 0.70 (comp. [43]), as shown in Table 1. All indicators of each research variable are proven valid or meet indicator reliability.

Table	1.	Factor	Loading
Table	1.	Factor	Loading

Perceived V	ulnerability				
VN1	0.803				
VN2	0.845				
VN3	0.866				
Perceive	d Severity				
SV1	0.756				
SV2	0.852				
SV3	0.724				
Performance	e Expectancy				
PE1	0.906				
PE2	0.917				
PE3	0.931				
PE4	0.899				
Effort E	xpectancy				
EE1	0.833				
EE2	0.898				
EE3	0.891				
EE4	0.884				
Atti	tude				
ATT1	0.932				
ATT2	0.948				
ATT3	0.936				
ATT4	0.939				
ATT5	0.923				
Behaviou	Behaviour Intention				
BI1	0.922				
BI2	0.921				
BI3	0.930				

Table 2. Construct reliability and validity

	Cronbach's Alpha	Composite Reliability	Average Variance Extracted (AVE)
Attitude	0.964	0.972	0.875
Behaviour Intention	0.915	0.947	0.855
Effort Expectancy	0.900	0.930	0.769
Perceived Severity	0.700	0.822	0.607
Perceived Vulnerability	0.791	0.876	0.703
Performance Expectancy	0.934	0.953	0.834

Table 3. Discriminant validity-ornell-larcker criterion

	DI	EE	PE	PU	PE
AT 0.936					
BI 0.770	0.925				
EE 0.628	0.615	0.877			
PE 0.444	0.392	0.292	0.779		
PV 0.175	0.172	0.227	0.304	0.838	
PE 0.820	0.701	0.635	0.535	0.289	0.913

AT: Attitude; BI: Behaviour Intention; EE: Effort Expectancy; PE: Perceived Severity; PV: Perceived Vulnerability; PE: Performance Expectancy

Table 4. Path coefficients

	Hipotesis	Original Sample (O)	T Statistics (O/STDEV)	P Values
H1	Perceived Vulnerability ->Attitude	-0.083	2.190	0.029
H2	Perceived Severity ->Attitude	0.037	0.867	0.386
H3	Performance Expectancy ->Attitude	0.704	12.243	0.000
H4	Effort Expectancy ->Attitude	0.189	3.523	0.000
H5	Attitude ->Behaviour Intention	0.770	19.726	0.000

The results of the outer model test also prove that each variable is valid, as evidenced by all Average Variance Extracted (AVE) values for each variable > 0.50 (comp. [44]), as shown in Table 2. In addition to each variable being proven valid, each variable in this study is also proven to be reliable, as demonstrated by the results of Composite Reliability values and Cronbach's Alpha values > 0.70 (comp. [45]), as shown in Table 2.

The results of the Fornell-Larcker Criterion test show that the value of each variable is greater than the correlation value with other variables, as shown in Table 3. So each variable is proven valid or fulfills discriminant validity.

4.2. Inner model evaluation

The results of the inner model test prove that only one hypothesis is not proven, namely H2, because perceived severity does not affect the positive attitude of automatic users towards the Advanced Driver Assistance System (ADAS). After all, the T-Statistic value is 0.867 < 1.96, and the P-value is 0.386 > 0.05 (see Table 4). Therefore, apart from H2, all hypotheses are proven.

The non-significant effect of perceived severity on attitude toward ADAS suggests the presence of other underlying factors that may have influenced individuals' attitudes in this context. While previous research has indicated a positive association between perceived severity and attitudes toward safety-related technologies [6], our findings deviate from this trend. But previous study by Sabzmakan [7], as well as Menard et al. [8] and Lee et al. [10] find that the severity was not significant factor of PMT. One possible explanation for this non-significant effect could be the participants' preexisting attitudes and beliefs about ADAS. It is plausible that individuals already held well-established attitudes toward ADAS, rendering the impact of perceived severity less influential in shaping their overall attitude. Furthermore, the non-significant effect of perceived severity on attitude toward ADAS suggests considering alternative variables that might mediate or moderate this relationship. For instance, individual differences in risk perception or prior exposure to ADAS technologies could influence the extent to which perceived severity impacts attitude formation. Investigating these potential mediators and moderators could provide valuable insights into the complexities of the perceived severity-attitude relationship.

The implications of this non-significant effect extend beyond theoretical contributions. From a practical standpoint, understanding the factors that shape individuals' attitudes toward ADAS is crucial for effectively implementing and accepting these systems. Therefore, acknowledging the absence of a direct effect of perceived severity on attitude highlights the importance of considering other influential factors in developing persuasive communication strategies or interventions to promote positive attitudes toward ADAS. Therefore, the unsupported hypothesis H2 regarding the effect of perceived severity on attitude toward ADAS necessitates further elaboration and exploration. The potential explanations discussed above offer directions for future research in order to uncover the underlying factors and mechanisms that shape attitudes toward ADAS. This enhanced understanding will aid in developing effective strategies for promoting the acceptance and adoption of ADAS technologies in the context of road safety.

Table 4 shows that the T-statistic value of H1 is 2.190 >1.96, and the P-value is 0.029 <0.05, so it can be stated that perceived vulnerability has a positive and significant effect on the positive attitude of automotive users towards ADAS. Furthermore, the effect of performance expectancy on the positive attitude of automotive users towards ADAS is also proven to be positive and significant, as indicated by the Tstatistic value of 12.243 > 1.96 and the P-value of 0.000 < 0.05, and thus H3 is confirmed. Furthermore, the effect of effort expectancy on the positive attitude of automotive users towards ADAS has also proven positive and significant, as evidenced by the T-statistic value of 3.523 > 1.96 and the Pvalue of 0.000 <0.05, so H4 is also confirmed. Furthermore, the effect of attitudes on the intention of automotive users to use ADAS also proved positive and significant, as indicated by the T-statistic value of 19,726 > 1.96 and the P-value of 0.000 <0.05. Thus, H5 was confirmed.

Tabel 5. Specific indirect effects

	Original Sample (O)	T Statistics (O/STDEV)	P Values
Effort Expectancy			
->Attitude ->Behaviour	0.146	3.399	0.001
Intention			
Perceived Severity			
->Attitude ->Behaviour	0.029	0.868	0.385
Intention			
Perceived Vulnerability			
->Attitude ->Behaviour	-0.064	2.208	0.027
Intention			
Performance Expectancy			
->Attitude ->Behaviour	0.542	9.547	0.000
Intention			

Table 5 shows that attitude is proven to mediate the effect of effort expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 3.399 > 1.96 and a P-value of 0.001 < 0.05. Likewise, attitude is proven to mediate the effect of perceived vulnerability on the intention

of automotive users to use ADAS, as indicated by the T-statistic value of 2.208 > 1.96 and P-value of 0.027 < 0.05. Then, attitude is also proven to mediate the effect of performance expectancy on the intention of automotive users to use ADAS, as indicated by a T-statistic value of 9.547 > 1.96 and a P-value of 0.000 < 0.05.

The results of this study indicate that the higher the vulnerability to the risk of traffic accidents, the more positive the attitude of car users towards the use of the ADAS driver assistance system. The finding confirms the result study of Yıldırım et al. [46], González-Castro et al. [47], and De Coninck et al. [48]. As we understand it, ADAS is a technology designed to help drivers reduce the risk of traffic accidents through warning and action when a potentially hazardous situation is detected. Self-perceived vulnerability is a concept that has been studied extensively in health psychology and health-related human behavior. This concept refers to a person's awareness of their health risks and ability to avoid or reduce them. In the context of a traffic accident, a person with a high perceived vulnerability is more aware of the potential risks of an accident and more open to using ADAS technology that can help reduce that risk. This study found that the vulnerability factor had a positive and significant effect on the attitude of drivers toward ADAS. This shows that the higher the perceived vulnerability, the more positive drivers' attitudes toward using ADAS technology to reduce the risk of traffic accidents.

The second discussion of this study found that the performance expectations of the Advanced Driving Assistance System (ADAS) technology could have been more optimal to affect the positive attitude of drivers toward driver assistance systems. In this context, performance expectation refers to the user's belief in the ability of ADAS technology to improve vehicle performance and driving safety. This study confirms the results of study by Siswanto [49], Shara and Widodo [50], and Razzak and Jassem [51]. The higher the performance expectations of users in this study, the more positive the attitude of drivers toward driver assistance systems.

This can be explained by the user's belief that ADAS technology can increase vehicle efficiency and improve driving safety. In this case, car users who have more confidence in the ability of ADAS technology to improve vehicle efficiency and driving safety tend to be more optimistic about this technology. This study also shows that drivers' education level and age influence performance expectations and attitudes toward the ADAS system. Younger and more educated drivers tend to have higher performance expectations and positive attitudes toward the ADAS system.

The third discussion in this study shows that the user's effort expectancy for the ease of use of ADAS technology affects the positive attitude of automotive users towards ADAS. This study confirms the results study by Siswanto [49], Shara and Widodo [50], and Razzak and Jassem [51]. In this context, effort expectancy refers to the user's belief about the ease of use of ADAS technology and the user's readiness to deal with changes in driving behavior. In this study, the higher the user's perceived level of effort expectancy, the more positive the attitude of automotive users toward ADAS. This can be explained by the user's belief that ADAS technology is easy to use and does not require the user to make significant changes in driving behavior. In this case, automotive users who feel more comfortable with ADAS technology and believe it is easy to use tend to have a more positive attitude.

The results showed that effort expectancy or user expectations for the ease of use of ADAS technology affect the attitude of automotive users towards ADAS. In this case, the attitude in question is an attitude that includes the user's trust, assessment, and evaluation of ADAS technology. This research shows that the higher the level of effort expectancy felt by the user, the more positive the attitude of automotive users toward ADAS. This can be explained by users' belief that ADAS technology is easy to use and does not require significant changes in driving behavior.

In this context, effort expectancy mediates between other factors, such as performance expectancy and user attitude towards ADAS. In other words, the higher the user's perceived level of effort expectancy, the stronger the relationship between performance expectancy and the user's attitude toward ADAS.

The fifth discussion in this study is that the positive attitude of automotive users towards ADAS has a positive and significant effect on their intention to use the technology. This means that the more positive the user's attitude towards ADAS, the more likely they are to use the technology in driving. This finding confirms the result of study by Hussein and Wahid [52], Hussein [53], Sari et al. [54], Pertami and Sukaatmadja [55], and Sari [56].

The results of this study, taken as a whole, may have important implications for automakers and policymakers in designing more effective marketing campaigns and product development strategies. In this regard, manufacturers must consider factors such as performance expectations and demographics when designing more effective marketing campaigns and product development strategies. On the other hand, policymakers can use the results of this research to increase public awareness of the benefits of ADAS technology and encourage the use of this technology as part of efforts to improve driving safety

5. CONCLUSIONS

Based on the research results, it can be concluded that, except for Hypothesis 2, all hypotheses are proven. The perceived vulnerability variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Likewise, the performance expectancy variable is proven to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its Pvalue is lower than 0.05. The effort expectancy variable has also been shown to have a positive and significant effect on the attitude of automotive users toward ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. Finally, the attitude of automotive users toward ADAS has a positive and significant effect on their intention to use ADAS because its T-Statistic is more than 1.96, and its P-value is lower than 0.05. So only the variable perceived Severity is not proven to have a positive and significant effect on the attitude of automotive users towards ADAS

The study's findings have significant practical implications for policymakers, car manufacturers, and technology developers involved in Advanced Driver Assistance Systems (ADAS). Policymakers can raise awareness and educate the public about ADAS benefits while incentivizing adoption through tax benefits and reduced insurance premiums. Car manufacturers can enhance perceived vulnerability by emphasizing risks associated with traditional driving methods, improve performance expectancy through continuous research and development, and ensure user-friendly experiences to increase positive attitudes towards ADAS. Technology developers should prioritize usability by designing usercentered ADAS and address concerns about severity to influence attitudes towards ADAS positively. These implications aim to create an environment conducive to ADAS adoption, enhancing road safety and reducing accidents.

The theoretical benefit of this research is the creation of a C-PMT-UTAUT conceptual model, which future researchers can then test. In addition, the results of this market research can also serve as a basis for future Applied Research and Development Research.

Further research in the ADAS context should investigate the relationship between perceived severity and attitudes towards ADAS, considering potential mediators or moderators such as risk perception and personal accident experiences. Longitudinal studies are needed to assess the stability of attitudes and intentions towards ADAS over time and their impact on adoption and sustained usage. Additionally, research should focus on user experience and usability aspects of ADAS to identify areas for improvement, considering users' perceptions, challenges, and preferences related to the interface, system feedback, and adaptability in various driving conditions. Exploring the influence of cultural and contextual factors on attitudes towards ADAS is crucial for tailoring strategies globally by examining the interaction of cultural norms, driving habits, and regulatory frameworks with attitudes and acceptance of ADAS. Addressing these areas will provide a deeper understanding and inform targeted strategies for promoting ADAS adoption and usage.

The study has several limitations. Firstly, it has a limited geographical scope, focusing only on Jakarta and Tangerang, which may limit the generalizability of the findings to other locations. Secondly, convenience sampling was used, introducing potential bias and limiting the sample's representativeness. Nonresponse bias and the absence of qualitative data further affect the generalizability and depth of understanding. Furthermore, the findings may not apply to other contexts due to specific factors. Lastly, the study needs formation on the timeframe of data collection and the stability of relationships over time, potentially impacting the dynamic nature of attitudes and intentions towards ADAS.

Future research can address the study's limitations by expanding the geographical scope to include a broader range of cities or regions, allowing for a more comprehensive understanding of attitudes and intentions toward ADAS. Implementing diverse sampling techniques, such as random or stratified sampling, can enhance the sample's representativeness and improve the findings' validity and reliability. Future studies should provide information on response rates and incorporate qualitative data through interviews, focus groups, or observational studies to mitigate nonresponse bias, providing richer insights into car owners' experiences and perspectives. Considering contextual factors, such as cultural norms and technological advancements, can enhance the applicability of the findings to different contexts. Employing longitudinal designs and assessing stability over time will capture the dynamic nature of attitudes and intentions towards ADAS, identifying trends and factors influencing relationships. Transparent reporting of the data collection timeframe will facilitate comparisons across studies, contributing to a comprehensive understanding applicable across diverse locations and contexts. ACKNOWLEDGMENT

This paper is the output of research results funded by winning Higher Education Excellence Basic Research from the Center for Research and Community Service, Pembangunan Jaya University, with Research Contract Number: 005/PER-P2M/UPJ/11.22.

REFERENCES

- [1] A. Ahdira, "5 Provinsi dengan Jumlah Kecelakaan Terbanyak di Indonesia, Korban Jiwa Capai 295 Orang," *Pikiran Rakyat*, 2020. Retrieved from https://www.pikiran-rakyat.com/otomotif/pr-01807920/5-provinsi-dengan-jumlah-kecelakaanterbanyak-di-indonesia-korban-jiwa-capai-295-orang
- [2] KOMINFO, "Rata-rata Tiga Orang Meninggal Setiap Jam Akibat Kecelakaan Jalan," *Kominfo.go.id*, 2017. Retrieved from https://kominfo.go.id/index.php/content/detail/10368/ rata-rata-tiga-orang-meninggal-setiap-jam-akibatkecelakaan-jalan/0/artikel_gpr.
- [3] L. Masello, G. Castignani, B. Sheehan, F. Murphy, and K. McDonnell, "On the road safety benefits of advanced driver assistance systems in different driving contexts," *Transp. Res. Interdiscip. Perspect.*, vol. 15, no. April, pp. 1–20, 2022, doi: 10.1016/j.trip.2022.100670.
- [4] E. Akyüz, "The Solutions to Traffic Congestion in Istanbul," J. Acad. Soc. Sci., vol. 3, no. 16, pp. 442– 442, 2015, doi: 10.16992/asos.792.
- [5] O. Tengilimoglu, O. Carsten, and Z. Wadud, "Implications of automated vehicles for physical road environment: A comprehensive review," *Transp. Res. Part E Logist. Transp. Rev.*, vol. 169, pp. 1–29, 2023, doi: 10.1016/j.tre.2022.102989.
- [6] H. Ibrahim and M. M. Q. Al-Ajlouni, "Sustainable consumption: Insights from the protection motivation (PMT), deontic justice (DJT) and construal level (CLT) theories," *Manag. Decis.*, vol. 56, no. 3, pp. 610–633, 2018, doi: 10.1108/MD-05-2016-0323.
- [7] L. Sabzmakan, M. Ghasemi, M. Asghari Jafarabadi, T. Kamalikhah, and M. Chaleshgar Kordasiabi, "Factors Associated with Tobacco Use among Iranian Adolescents: An Application of Protection Motivation Theory," *Subst. Use Misuse*, vol. 53, no. 9, pp. 1511–1518, 2018, doi: 10.1080/10826084.2017.1415356.
- [8] P. Menard, G. J. Bott, and R. E. Crossler, "User Motivations in Protecting Information Security: Protection Motivation Theory Versus Self-Determination Theory," *J. Manag. Inf. Syst.*, vol. 34, no. 4, pp. 1203–1230, 2017, doi: 10.1080/07421222.2017.1394083.
- [9] E. J. Kothe, M. Ling, M. North, A. Klas, B. A. Mullan, and L. Novoradovskaya, "Protection motivation theory and pro-environmental behaviour: A systematic mapping review," *Aust. J. Psychol.*, vol. 71, no. 4, pp. 411–432, 2019, doi: 10.1111/ajpy.12271.
- [10] J. H. Lee, A. Mustapha, and J. Hwang, "Enhancing ethnic restaurant visits and reducing risk perception:

The effect of information and protection motivation," *J. Hosp. Tour. Insights*, vol. 2, no. 4, pp. 341–357, 2019, doi: 10.1108/JHTI-10-2018-0068.

- [11] D. Fischer-Preßler, D. Bonaretti, and K. Fischbach, "A Protection-Motivation Perspective to Explain Intention to Use and Continue to Use Mobile Warning Systems," *Bus. Inf. Syst. Eng.*, 2021, doi: 10.1007/s12599-021-00704-0.
- [12] J. Jun, H. Park, and I. Cho, "Study on initial adoption of advanced driver assistance system: integrated model of PMT and UTAUT 2," *Total Qual. Manag. Bus. Excell.*, vol. 30, no. sup1, pp. S83–S97, 2019, doi: 10.1080/14783363.2019.1665820.
- [13] A. Tarhini, M. El-Masri, M. Ali, and A. Serrano, "Extending the utaut model to understand the customers' acceptance and use of internet banking in lebanon a structural equation modeling approach," *Inf. Technol. People*, vol. 29, no. 4, pp. 830–849, 2016, doi: 10.1108/ITP-02-2014-0034.
- [14] E. T. Lwoga and M. Komba, "Antecedents of continued usage intentions of web-based learning management system in Tanzania," *Educ.* + *Train.*, vol. 57, no. 7, pp. 738–756, 2015.
- [15] M. Z. Alam, W. Hu, M. R. Hoque, and M. A. Kaium, "Adoption intention and usage behavior of mHealth services in Bangladesh and China: A cross-country analysis," *Int. J. Pharm. Healthc. Mark.*, vol. 14, no. 1, pp. 37–60, 2019, doi: 10.1108/IJPHM-03-2019-0023.
- [16] Wuling, "Teknologi Advanced Driver Assistance System (ADAS) untuk Keamanan Berkendara," Auto Tips, 2021. Retrieved from https://wuling.id/id/blog/autotips/teknologiadvanced-driver-assistance-system-adas-untukkeamanan-berkendara/.
- [17] R. W. Rogers, "A protection motivation theory of fear appeals and attitude change.," *J. Psychol.*, vol. 91, no. 1, pp. 93–114, 1975.
- [18] Y. Gao, H. Li, and Y. Luo, "An empirical study of wearable technology acceptance in healthcare," *Ind. Manag. Data Syst.*, vol. 115, no. 9, pp. 1704–1723, 2015, doi: 10.1108/IMDS-03-2015-0087.
- [19] V. Venkatesh, M. Morris, G. Davis, and F. Davis, "User acceptance of information technology: towards a unified view," *MIS Q*., vol. 27, no. 3, pp. 425–477, 2003.
- [20] V. Venkatesh, J. Thong, and X. Xu, "Consumer acceptance and use of information technology: extending the unified theory of acceptance and use of technology," *MIS Q.*, vol. 36, no. 1, pp. 157–178, 2012.
- [21] N. Mahzan and A. Lymer, "Examining the adoption of computer-assisted audit tools and techniques: Cases of generalized audit software use by internal auditors," *Manag. Audit. J.*, vol. 29, no. 4, pp. 327–349, 2014, doi: 10.1108/MAJ-05-2013-0877.
- [22] L. Carter, C. L. Shaupp, J. Hobbs, and R. Campbell, "The role of security and trust in the adoption of online tax filing The role of security and trust in the adoption of online tax filing," *Transform. Gov. People, Process Policy*, vol. 5, no. 3, pp. 303–318, 2011, [Online]. Available:

http://dx.doi.org/10.1108/17506161111173568.

[23] M. Arif, K. Ameen, and M. Rafiq, "Factors affecting

student use of Web-based services: Application of UTAUT in the Pakistani context," *Electron. Libr.*, vol. 36, no. 3, pp. 518–534, 2018, doi: 10.1108/EL-06-2016-0129.

- [24] N. Thongsri, L. Shen, Y. Bao, and I. M. Alharbi, "Integrating UTAUT and UGT to explain behavioural intention to use M-learning: A developing country's perspective," J. Syst. Inf. Technol., vol. 20, no. 3, pp. 278–297, 2018, doi: 10.1108/JSIT-11-2017-0107.
- [25] A. Gunasinghe, J. A. Hamid, A. Khatibi, and S. M. F. Azam, "The adequacy of UTAUT-3 in interpreting academician's adoption to e-Learning in higher education environments," *Interact. Technol. Smart Educ.*, vol. 17, no. 1, pp. 86–106, 2019, doi: 10.1108/ITSE-05-2019-0020.
- [26] C. Buabeng-Andoh and C. Baah, "Pre-service teachers' intention to use learning management system: an integration of UTAUT and TAM," *Interact. Technol. Smart Educ.*, vol. 17, no. 4, pp. 455– 474, 2020, doi: 10.1108/ITSE-02-2020-0028.
- [27] C. C. Chang, "Library mobile applications in university libraries," *Libr. Hi Tech*, vol. 31, no. 3, pp. 478–492, 2013, doi: 10.1108/LHT-03-2013-0024.
- [28] C. G. Wu and P. Y. Wu, "Investigating user continuance intention toward library self-service technology: The case of self-issue and return systems in the public context," *Libr. Hi Tech*, vol. 37, no. 3, pp. 401–417, 2019, doi: 10.1108/LHT-02-2018-0025.
- [29] K. A. Al Mansoori, J. Sarabdeen, and A. L. Tchantchane, "Investigating Emirati citizens' adoption of e-government services in Abu Dhabi using modified UTAUT model Article information," *Inf. Technol. People*, vol. 31, no. 2, pp. 455–481, 2018, doi: https://doi.org/10.1108/ITP-12-2016-0290.
- [30] M. Kuciapski, "A model of mobile technologies acceptance for knowledge transfer by employees," J. *Knowl. Manag.*, vol. 21, no. 5, pp. 1053–1076, 2017, doi: 10.1108/JKM-03-2016-0136.
- [31] B. Sivathanu, "Adoption of digital payment systems in the era of demonetization in India: An empirical study," *J. Sci. Technol. Policy Manag.*, vol. 10, no. 1, pp. 143–171, 2019, doi: 10.1108/JSTPM-07-2017-0033.
- [32] N. Sobti, "Impact of demonetization on diffusion of mobile payment service in India: Antecedents of behavioral intention and adoption using extended UTAUT model," *J. Adv. Manag. Res.*, vol. 16, no. 4, pp. 472–497, 2019, doi: 10.1108/JAMR-09-2018-0086.
- [33] K. P. Gupta, R. Manrai, and U. Goel, "Factors influencing adoption of payments banks by Indian customers: extending UTAUT with perceived credibility," *J. Asia Bus. Stud.*, vol. 13, no. 2, pp. 173– 195, 2019, doi: 10.1108/JABS-07-2017-0111.
- [34] S. Rahi, M. M. Othman Mansour, M. Alghizzawi, and F. M. Alnaser, "Integration of UTAUT model in internet banking adoption context: The mediating role of performance expectancy and effort expectancy," *J. Res. Interact. Mark.*, vol. 13, no. 3, pp. 411–435, 2019, doi: 10.1108/JRIM-02-2018-0032.
- [35] A. Giovanis, C. Assimakopoulos, and C. Sarmaniotis, "Adoption of mobile self-service retail banking technologies: The role of technology, social, channel and personal factors," *Int. J. Retail Distrib. Manag.*,

vol. 47, no. 9, pp. 894–914, 2019, doi: 10.1108/IJRDM-05-2018-0089.

- [36] R. Odoom and J. P. Kosiba, "Mobile money usage and continuance intention among micro enterprises in an emerging market – the mediating role of agent credibility," *J. Syst. Inf. Technol.*, vol. 22, no. 4, pp. 97–117, 2020, doi: 10.1108/JSIT-03-2019-0062.
- [37] E. Purwanto, R. Sjarief, and C. Anwar, "The Effect of the Innovation Resistance Factors on the Digital Fishery Platform Acceptance in Developing Country," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 5, pp. 507– 518, 2021, doi: 10.48047/rigeo.11/5/53.
- [38] E. Purwanto, R. Sjarief, and C. Anwar, "Driving And Restricting Factors Of The Behavior Intention Of The Digital Fishery Platform Adoption In New Normal: Combine Utaut-Irt Model," *Rev. Int. Geogr. Educ. Online*, vol. 11, no. 8, pp. 1089–1103, 2021, doi: 10.48047/rigeo.11.08.93.
- [39] J. F. Hair, W. C. Black, B. J. Babin, and R. E. Anderson, *Multivariate Data Analysis*, 7th ed. New Jersey: Pearson Education, 2010.
- [40] A. C. Johnston and M. Warkentin, "Fear appeals and information security behaviors: An empirical study," *MIS Q.*, vol. 34, no. 3, pp. 549–566, 2010.
- [41] J. F. Hair, C. M. Ringle, and M. Sarstedt, "PLS-SEM: Indeed a silver bullet," *J. Mark. Theory Pract.*, vol. 19, no. 2, pp. 139–151, 2011.
- [42] J. F. Hair, J. J. Risher, M. Sarstedt, and C. M. Ringle, "When to use and how to report the results of PLS-SEM," *Eur. Bus. Rev.*, vol. 31, no. 1, pp. 2–24, 2019.
- [43] M. Tjiu and E. Purwanto, "Guanxi and the leadermember exchange in the chinese supervisor and subordinate relationship," J. Appl. Econ. Sci., vol. 12, no. 8, 2017.
- [44] E. Purwanto and A. D. B. Purwanto, "An investigative study on sustainable competitive advantage of manufacture companies in Indonesia," *Bus. Theory Pract.*, vol. 21, no. 2, 2020, doi: 10.3846/btp.2020.12256.
- [45] E. Purwanto, C. Utama, and B. Wijaya, "The effects of shock advertising on purchase intentions and behavior of cigarettes in collectivistic culture," *J. Adv. Res. Law Econ.*, vol. 9, no. 2, pp. 625–638, 2018.
- [46] Y. M, G. E, and A. Ö, "The impacts of vulnerability, perceived risk, and fear on preventive behaviours against COVID-19," *Psychol Heal. Med.*, vol. 26, no. 1, pp. 35–43, 2021.
- [47] J. L. González-Castro, S. Ubillos-Landa, A. Puente-Martínez, and M. Gracia-Leiva, "Perceived Vulnerability and Severity Predict Adherence to COVID-19 Protection Measures: The Mediating Role

of Instrumental Coping," *Front. Psychol.*, vol. 12, no. July, pp. 1–14, 2021, doi: 10.3389/fpsyg.2021.674032.

- [48] D. De Coninck, L. D'Haenens, and K. Matthijs, "Perceived vulnerability to disease and attitudes towards public health measures: COVID-19 in Flanders, Belgium," *Pers. Individ. Dif.*, vol. 166, no. November, 2020, doi: 10.1016/j.paid.2020.110220.
- [49] T. Siswanto, R. Shofiati, and H. Hartini, "Acceptance and Utilization of Technology (UTAUT) as a Method of Technology Acceptance Model of Mitigation Disaster Website," *IOP Conf. Ser. Earth Environ. Sci.*, vol. 106, no. 1, 2018, doi: 10.1088/1755-1315/106/1/012011.
- [50] P. V. Shara and T. Widodo, "Penerapan Model Unified Theory of Acceptance and Use Of Technology (UTAUT) untuk Menganalisis Minat Pengguna Smartphone Di Kota Bandung," *Sosiohumanitas*, vol. 20, no. 1, pp. 70–83, 2018.
- [51] M. R. Razzak and S. Jassem, "Mobile-Assisted Language Learning for EFL: A Conceptual Framework based on the Meta-UTAUT Model," *Asia-Pacific J. Educ. Manag. Res.*, vol. 6, no. 2, pp. 15–32, 2021, doi: 10.21742/ajemr.2021.6.2.02.
- [52] Z. Hussein and N. Abd Wahid, "The Effects of User's Attitude on the Intention to Purchase and to Revisit in Game Advertising," *Asian J. Behav. Stud.*, vol. 3, no. 13, pp. 161–168, 2018, doi: 10.21834/ajbes.v3i13.153.
- [53] Z. Hussein, "Leading to Intention: The Role of Attitude in Relation to Technology Acceptance Model in E-Learning," *Procedia Comput. Sci.*, vol. 105, no. December 2016, pp. 159–164, 2017, doi: 10.1016/j.procs.2017.01.196.
- [54] R. L. Sari, A. B. Habibi, and E. P. Hayuningputri, "Impact of Attitude, Perceived Ease of Use, Convenience, and Social Benefit on Intention to Use Mobile Payment," *Asia Pacific Manag. Bus. Appl.*, vol. 11, no. 2, pp. 143–156, 2022, doi: 10.21776/ub.apmba.2022.011.02.2.
- [55] N. P. A. P. Pertami and I. P. G. Sukaatmadja, "The Role of User's Attitude Mediating the Effect of Perceived Ease of use and Social Influence towards the Continuance usage Intention of TikTok," SSRG Int. J. Econ. Manag. Stud., vol. 8, no. 1, pp. 98–104, 2021.
- [56] N. N. Sari, "The Use of Technology Acceptance Model to Explain Brand Attitude and Loyalty Intention in E-Commerce: The Gamification Case," *ASEAN Mark. J.*, vol. 14, no. 1, pp. 72–96, 2022.